

Dual Compensated Porosity Log

(785) 625-3858

Company American Warrior, Inc.

Well Link No.2-13

Field Chase-Silica

County Rice State Kansas

15-159-22,637-00-00

Sec: 13 Twp: 19S Rge: 10W

Elevation

Ground Level	Elevation 1742
Kelly Bushing	8 Ft Above Perm Datum

From Kelly Bushing

	2/21/2010
--	-----------

	CN
	CN

--	--

Interval	

val	
g	Ch

CL	0
----	---

[illegible]

0.1	
-----	--

me	31
positions	17

	Q.
--	----

JIM I	
D O B E S I D	

From	To
------	----

00	31
240	200

	(c)	(d)
--	-----	-----

--	--

--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Chase KS,
3 N, 1 W, 1/2 N, W Into

Database File: c:\warrior\data\amwar_link no.2-13\awhd.db
Dataset Pathname: dii\awstk
Presentation Format: cdl
Dataset Creation: Mon Feb 21 16:52:12 2011
Charted by: Depth in Feet scaled 1:600

Charted by: Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425
			-0.25	Correction	0.25
			LSPD		





Database File: c:\warrior\data\amwar_link no.2-13\awhd.db
 Dataset Pathname: dil/awstk
 Presentation Format: cndlspec
 Dataset Creation: Mon Feb 21 16:52:12 2011
 Charted by: Depth in Feet scaled 1:240

