



SUPERIOR
Hays,
Kansas

SONIC
LOG

Company	VINCENT OIL CORPORATION		
Well	McCARTY #2-36		
Field			
County	FORD	State	KANSAS
Location:	API # : 15-057-20700		Other Services CDL/CNL/PE MEL/DIL
SEC 36 TWP 28S RGE 23W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2510
Log Measured From	KELLY BUSHING 13' A.G.L.	D.F.	
Drilling Measured From	KELLY BUSHING	G.L.	2510
Date	10-25-10		
Run Number	TVMO		
Depth Driller	5420		
Depth Logger	5420		
Bottom Logged Interval	5413		
Top Log Interval	650		
Casing Driller	654		
Casing Logger	650		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES: 10,500ppm	
Density / Viscosity	9.2 / 56		
pH / Fluid Loss	10.5 / 11.2		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.45 @ 76F		
Rmf @ Meas. Temp	0.34 @ 76F		
Rmc @ Meas. Temp	0.54 @ 76F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	.270 @ 129F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom	4:45 A.M.		
Maximum Recorded Temperature	129F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	KEN LeBLANC		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: FORD, EAST EDGE AT RD. #125, 3S ON BLACKTOP TO WARRIOR RD., 1 1/2W, 1S, W INTO.




SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: 005907pdr.db
Dataset Pathname: pass5.1
Presentation Format: slt
Dataset Creation: Mon Oct 25 09:14:52 2010
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)		-10


0	MINMK	20	TBHV	0	ITT (msec)	20	
			0 (ft3) 10				












1500


1550

1600

1650

1700







1750


1800


1850

1900











2400


2450


2500


2550




























4350


4400

4450

4500

4550








4600


4650

4700

4750









5050

5100

5150

5200





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20



SUPERIOR

Hays,
Kansas

REPEAT SECTION

Database File: 005907pdr.db
Dataset Pathname: pass4.1
Presentation Format: slt
Dataset Creation: Mon Oct 25 09:39:47 2010
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		

