



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.

15-051-26,044-00-00

Company TDI, Inc.

Well Jerry No.1

Field Wildcat

County

Ellis

State

Kansas

Location

1155' FNL & 1320' FEL

Other Services
CNL/CDL
DIL

Sec: 10

Twp: 15S

Rge: 19W

Elevation

Permanent Datum Ground Level Elevation 2039
Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 2049
D.F.
G.L. 2039

Date

11/27/2010

Run Number

Two

Depth Driller

3750

Depth Logger

3749

Bottom Logged Interval

3748

Top Log Interval

2400

Casing Driller

8.625 @ 234

Casing Logger

234

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

4.900

Density / Viscosity

9.0 69

pH / Fluid Loss

10.0 7.2

Source of Sample

Flowline

Rm @ Meas. Temp

.65 @ 54

Rmf @ Meas. Temp

.49 @ 54

Rmc @ Meas. Temp

.88 @ 54

Source of Rmf / Rmc

Charts

Rm @ BHT

.31 @ 113

Operating Rig Time

3 1/2 Hours

Max Rec. Temp. F

113

Equipment Number

4

Location

Hays

Recorded By

C. Desaire

Witnessed By

Tom Denning

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Antonino, 1 W, 1 S, 1/4 W, S Into


Database File: c:\warrior\data\tdi_jerry_#1--tdihd.db
Dataset Pathname: dil\tdisk2
Presentation Format: micro
Dataset Creation: Sat Nov 27 11:29:17 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0






2600

2650

2700

2750

2800





-30


-30

-30

-30

-29






3050

3100

3150

3200




-28

-29

-29

-33




3250

3300

3350

3400

3450




-32

-31

-29

-29

-29




3500

3550

3600

3650




-29

-29

-29


-29



0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

3700

3750



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

LSPD