

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.

15-051-26,044-00-00

Company TDI, Inc.

Well Jerry No.1

Field Wildcat

County Ellis

State

Kansas

Location 1155' FNL & 1320' FEL

Sec: 10 Twp: 15S Rge: 19W

Permanent Datum Ground Level Elevation 2039
Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Other Services
CNL/CDL
MEL

Elevation
K.B. 2049
D.F.
G.L. 2039

Date 11/27/2010

Run Number One

Depth Driller 3750

Depth Logger 3749

Bottom Logged Interval 3748

Top Log Interval 200

Casing Driller 8.625 @ 234

Casing Logger 234

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 4.900

Density / Viscosity 9.0 69

pH / Fluid Loss 10.0 7.2

Source of Sample Flowline

Rm @ Meas. Temp .65 @ 54

Rmf @ Meas. Temp .49 @ 54

Rmc @ Meas. Temp .88 @ 54

Source of Rmf / Rmc Charts

Rm @ BHT .31 @ 113

Operating Rig Time 3 1/2 Hours

Max Rec. Temp. F 113

Equipment Number 4

Location Hays

Recorded By C. Desaire

Witnessed By Tom Denning

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments




Thank you for using Log-Tech, Inc.
(785) 625-3858



Antonino, 1 W, 1 S, 1/4 W, S Into



Database File: c:\warrior\data\tdi_jerry_#1--tdihd.db
Dataset Pathname: dil/tdistk2
Presentation Format: dil2in
Dataset Creation: Sat Nov 27 11:29:17 2010
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP	0


0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500
















2300
2350
2400
2450
2500
2550
2600
2650
2700
2750
2800











Database File: c:\warrior\data\tdi_jerry_#1--\tdihd.db
Dataset Pathname: dil/tdisk2
Presentation Format: dil
Dataset Creation: Sat Nov 27 11:29:17 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Deep Resistivity	2000
-160	RXO/RT	40	0.2	Medium Resistivity	2000
-200	SP	0	0.2	Shallow Resistivity	2000



Database File: c:\warrior\data\tdi_jerry_#1--tdihd.db
Dataset Pathname: dil/tdisk2
Presentation Format: dil
Dataset Creation: Sat Nov 27 11:29:17 2010
Charted by: Depth in Feet scaled 1:240






2450

2500

2550

2600




-30

-30

-30

-30




2650

2700

2750

2800

2850




-30

-30

-30

-29

-30




2900

2950

3000

3050




-28

-29

-29

-28




3100

3150

3200

3250




-29

-29

-33

-32




3300

3350

3400

3450

3500




-31

-29

-29

-29

-29




3550

3600

3650

3700




-29

-29

-29

-30



3750

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



-43

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD