



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company F. G. Holl Company L.L.C.		
	Well Fleske/Peterson No. 1-2		
	Field Ryan		
	County Pawnee	State	Kansas
15-145-21,624-00-00	Location	1,500' FSL & 160' FWL	
	Sec: 2	Twp: 20 S	Rge: 16 W
Permanent Datum	Ground Level	Elevation 1983	Other Services CNL/CDL MEL/BHCS
Log Measured From	Kelly Bushing	8 Ft. Above Perm. Datum	K.B. 1991
Drilling Measured From	Kelly Bushing		D.F. 1983
Date	1/1/2011		
Run Number	One		
Depth Driller	3950		
Depth Logger	3952		
Bottom Logged Interval	3951		
Top Log Interval	0		
Casing Driller	8.625 @ 1025		
Casing Logger	1019		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	7900		
Density / Viscosity	9.0 67		
pH / Fluid Loss	10.5 8.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	.30 @ 55		
Rmf @ Meas. Temp	.23 @ 55		
Rmc @ Meas. Temp	.41 @ 55		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.14 @ 116		
Operating Rig Time	6 Hours		
Max Rec. Temp. F	116		
Equipment Number	10		
Location	Hays		
Recorded By	J Schuler	J Long	
Witnessed By	Rene Husted		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Great Bend, West on 10th to the end of the Blacktop, South on CR 390
to Z Road, West to 1/2 Mile to 100th, South 1/2, East Into



Database File: c:\warrior\data\fg_holl_fleskepeterson no. 1-2\fgholl.db
Dataset Pathname: dil\fgstack
Presentation Format: dil2in
Dataset Creation: Sat Jan 01 20:50:06 2011
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in Feet scaled 1:500



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50	LSPD
0	Deep Resistivity	50	
1000	Conductivity		0
15000	Line Tension		0
50	Shallow Resistivity	500	
50	Deep Resistivity	500	


















3250

3300

3350

3400

3450

3500


3550

3600

3650

3700

3750



-35

-35

-35

-35

-35

-34


-34


-35

-11

-11

-11








LOG-TECH

High Resolution

Database File: c:\warrior\data\fg holl_fleskepeterson no. 1-2\fgholl.db
 Dataset Pathname: dil/fghires
 Presentation Format: dil
 Dataset Creation: Sat Jan 01 20:50:04 2011
 Charted by: Depth in Feet scaled 1:120






3650

3700


3750



-11


-11

-11





3800

3850




-11


-11



LSPD

0	Gamma Ray	150	0.2	Deep Resistivity	2000
-200	SP (mV)	0	0.2	Medium Resistivity	2000
-160	Rxo / Rt	40	0.2	Shallow Resistivity	2000
			15000	Line Tension	0
					LSPD






2050

2100

2150

2200

2250




-36

-36

-36

-36

-36



2300

2350

2400


2450


-36

-36

-36

-36






2500

2550

2600

2650




-36

-36

-35

-34




2700

2750

2800

2850

2900




-35

-35

-35

-35

-35




2950

3000

3050

3100




-30

-36

-36

-36




3150


3200

3250

3300

3350






3400

3450

3500

3550




-35

-35

-34

-34




3600

3650

3700

3750





-35

-11

-11

-11



LSPD