



Computer Processed Interpretation

DIGITAL LOG (785) 625-3858

15-165-21,887-00-00

API No.

Company American Warrior, Inc.

Well Baus No. 1-30

Field Schadel Northeast

County Rush State Kansas

Location 960' FSL & 1375' FWL

Sec: 30 Twp: 19 S Rge: 20 W

Other Services
DIL/CNL/CDL

Permanent Datum Ground Level Elevation 2294
Log Measured From Kelly Bushing 6 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation
K.B. 2300
D.F. 2294
G.L. 2294

Date Recorded 7/17/2010

Depth Logger 4430

Curve Definitions

SW Water Saturation

SXO Water Saturation In The Flushed Zone

VCL Volume Of Clay

PHIE Density - Neutron Crossplot Shale Corrected

BWV Bulk Volume Water

BWMSXO Bulk Volume Water In Flushed Zone

DCAL Caliper

SPC SP Corrected For Baseline

DGA Apparent Grain Density

Payflag If: PHIE > 2 %, VCL < 40 %, SPC > -10 , SW < 50 % & DCAL < 11

Recorded By K. Bange

Witnessed By Scott Corsair

Analysis By Dale Legleiter

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
www.logtechinc.com

Alexander, 7 S to X rd, 1 1/2 W, N 1/4, W into

Database File: c:\warrior\data\cross plots\2wxplt.db
Dataset Pathname: litho
Presentation Format: 2wxplt

Dataset Creation:
 Charted by:

Thu Apr 24 14:32:02 1997
 Depth in Feet scaled 1:240



Database File: c:\warrior\data\amwar_baus no. 1-30\awarhd.db
 Dataset Pathname: cpi/awcpi
 Presentation Format: calc
 Dataset Creation: Mon Jul 19 12:26:53 2010
 Charted by: Depth in Feet scaled 1:240

| | | | | | | | | | | | | | | |
|-----|-----|-----|------|-------------|-----|----|---------|---|-----|--------|---|---|------|---|
| 20 | CLF | 1 | 0 | Gamma Ray | 150 | 1 | SW | 0 | 0.3 | PHIE | 0 | 0 | VCL | 1 |
| 2.6 | LM | 3.1 | 6 | DCAL (GAPI) | 16 | 30 | PAYFLAG | 0 | 0.3 | BVW | 0 | 1 | PHIE | 0 |
| | DGA | | -150 | SPC (mV) | | 0 | SXO | 0 | 0.3 | BVWSXO | 0 | | | |
| 2.6 | | 3.1 | | | | | | | | | | | | |

