



Fracfinder

DIGITAL LOG (785) 625-3858

15-069-20,335-00-00

Company Falcon Exploration, Inc.
 Well Andee Fry No. 1-2
 Field Wildcat
 County Gray
 State Kansas

Location 200' FSL & 2360' FWL

Sec: 2 Twp: 28 S Rge: 30 W

Other Services
 DIL/MEL
 CNL/CDL

Permanent Datum Ground Level Elevation 2799
 Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum
 Drilling Measured From Kelly Bushing

Elevation
 K.B. 2809
 D.F.
 G.L. 2799

Date	1/14/2011	
Run Number	Two	
Type Log	BHC Sonic	
Depth Driller	5450	
Depth Logger	5456	
Bottom Logged Interval	5444	
Top Logged Interval	2600	
Type Fluid In Hole	Chemical	
Salinity, PPM CL	1,300	
Density	9.05	
Level	Full	
Max. Rec. Temp. F	133	
Operating Rig Time	7 Hours	
Equipment -- Location	4 Hays	
Recorded By	K. Bange	
Witnessed By	Keith Reavis	

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	0	1874	8.625	23#	0	1874
Two	7.875	1874	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858
 Montezuma, 7 W to 6th rd, 6 N, W into


Database File: falcon011411.db
 Dataset Pathname: stack/pass3.1
 Presentation Format: fracfind
 Dataset Creation: Fri Jan 14 12:56:26 2011 by Calc Open-Cased 081212
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150
6	Caliper (in)	16
140	Delta Time (usec/ft)	40

200

WVF3

1200





2600

2650

2700

2750






2800


2850

2900

2950

3000







3050

3100

3150

3200





3250


3300

3350

3400

3450







3500

3550

3600

3650







3700

3750

3800

3850






3900


3950

4000

4050

4100







4150

4200

4250

4300





4350


4400

4450

4500

4550







4600

4650

4700

4750







4800

4850

4900

4950






5000


5050

5100

5150

5200





5250

5300

5350

5400

