



Dual Compensated  
Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-069-20,335-00-00

Company Falcon Exploration, Inc.  
Well Andee Fry No. 1-2  
Field Wildcat  
County Gray  
Location 200' FSL & 2360' FWL  
State Kansas

Other Services  
DIL  
MEI/BHCS

Permanent Datum Ground Level Elevation 2799  
Log Measured From Kelly Bushing 12 Ft. Above Perm. Datum  
Drilling Measured From Kelly Bushing

Sec: 2 Twp: 28 S Rge: 30 W

Elevation  
K.B. 2811  
D.F. G.L. 2799

Date 1/14/2011

Run Number One

Type Log CNL / CDL

Depth Driller 5450

Depth Logger 5456

Bottom Logged Interval 5435

Top Logged Interval 0

Type Fluid In Hole Chemical

Salinity, PPM CL 1,300

Density 9.05

Level Full

Max. Rec. Temp. F 133

Operating Rig Time 7 Hours

Equipment -- Location 4 Hays

Recorded By K. Bange

Witnessed By Keith Reavis Dave Wilson

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	1874	8.625	24#	00	1874
2	7.875	1874	5450				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.  
(785) 625-3858


Montezuma, 7 W to 6th rd, 6 N, W into

0 Gamma Ray 150

30 Compensated Neutron (Limestone) -10

LSPD







250

300

350

400






450

500

550

600





-43

-45

-45

-45






900

950

1000

1050






-44

-42

-42

-43







1350


1400

1450

1500











Database File: c:\warrior\data\falcon\_andee fry no. 1-2\falcon011411hd.db  
 Dataset Pathname: dil/falcstack  
 Presentation Format: cdl  
 Dataset Creation: Fri Jan 14 13:07:33 2011  
 Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425
				-0.25	Correction
					0.25
					LSPD













0	Gamma Ray	150	30	Compensated Density		-10
6	Caliper (GAPI)	16	2	Bulk Density		3
			15000	Line Tension		0
	2.625	DGA	3.425	-0.25	Correction	0.25
						LSPD

Database File: c:\warrior\data\falcon\_andee fry no. 1-2\falcon011411hd.db  
 Dataset Pathname: dil/falcstack  
 Presentation Format: ducpdga  
 Dataset Creation: Fri Jan 14 13:07:33 2011  
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0 TBHV7.5	30	Compensated Neutron (Ls)		-10
6	Caliper (GAPI)	16	7.5ABHV 0	30	Comp. Density Porosity(Ls)		-10
	2.6	DGA	3.1	15000	Line Tension		0
					-0.25	Correction	0.25
							LSPD

