



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

API No.	15-069-20,335-00-00
Company	Falcon Exploration, Inc.
Well	Andee Fry No. 1-2
Field	Wildcat
County	Gray
State	Kansas
Location	200' FSL & 2360' FWL
Sec: 2	Twp: 28 S Rge: 30 W
Other Services	CNL/CDL MEL/DIL

Permanent Datum	Ground Level	Elevation 2799
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	1/14/2011	Elevation K.B. 2809 D.F. 2799 G.L. 2799

Run Number	Two
Type Log	BHC Sonic
Depth Driller	5450
Depth Logger	5456
Bottom Logged Interval	5445
Top Logged Interval	1850
Type Fluid In Hole	Chemical
Salinity, PPM CL	1,300
Density	9.05
Level	Full
Max. Rec. Temp. F	133
Operating Rig Time	7 Hours
Equipment -- Location	4 Hays
Recorded By	K. Bange
Witnessed By	Keith Reavis
	Dave Wilson

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	1874	8.625	24#	00	1874
2	7.875	1874	5450				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Montezuma, 7 W to 6th rd, 6 N, W into



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0



LSPD























































0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0
LSPD						