



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company American Warrior, Inc.		
15-135-25,118-00-00	Well Schugart No. 1-26		
	Field Wildcat		
	County Ness	State	Kansas
	Location	2090' FNL & 1400' FWL	
	Sec: 26	Twp: 18S	Rge: 22W
	Permanent Datum	Ground Level	Elevation 2163
	Log Measured From	Kelly Bushing	8 Ft. Above Perm. Datum
	Drilling Measured From	Kelly Bushing	
Date		08/16/2010	
Run Number		One	
Depth Driller		4260	
Depth Logger		4260	
Bottom Logged Interval		4259	
Top Log Interval		200	
Casing Driller		8.625 @ 221	
Casing Logger		221	
Bit Size		7.875	
Type Fluid in Hole		Chemical	
Salinity, ppm CL		5.200	
Density / Viscosity		9.6 52	
pH / Fluid Loss		9.5 10.4	
Source of Sample		Flowline	
Rm @ Meas. Temp		.85 @ 78	
Rmf @ Meas. Temp		.64 @ 78	
Rmc @ Meas. Temp		1.15 @ 78	
Source of Rmf / Rmc		Charts	
Rm @ BHT		.55 @ 121	
Operating Rig Time		2 Hours	
Max Rec. Temp. F		121	
Equipment Number		17	
Location		Hays	
Recorded By		Mike Garrison	
Witnessed By		Jason Alm	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Bazine, 2 West to BB Rd, 1/2 North, East Into



Database File: c:\warrior\data\amwar_schugart no. 1-26\awarhd.db
Dataset Pathname: dil\awarstck
Presentation Format: dil2in
Dataset Creation: Mon Aug 16 21:16:08 2010
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50		LSPD
0	Deep Resistivity	50		
1000	Conductivity			0
15000	Line Tension			0
50	Shallow Resistivity	500		
50	Deep Resistivity	500		


























Database File: c:\warrior\data\amwar_schugart no. 1-26\awarhd.db
 Dataset Pathname: dil/awarstck
 Presentation Format: dil
 Dataset Creation: Mon Aug 16 21:16:08 2010
 Charted by: Depth in Feet scaled 1:240






1450

1500




Database File: c:\warrior\data\amwar_schugart no. 1-26\awarhd.db
 Dataset Pathname: dil/awarstck
 Presentation Format: dil
 Dataset Creation: Mon Aug 16 21:16:08 2010
 Charted by: Depth in Feet scaled 1:240




3500

3550



-32

-32




3600

3650

3700

3750




-32

-32

-32

-32




3800

3850

3900

3950




-32

-31

-32

-32




4000

4050

4100

4150

4200




-32

-32

-31

-31

-31



4250

