



SUPERIOR
Hays,
Kansas

TEMPERATURE LOG

Company		TENGASCO, INC.	
Well	VEVERKA "D" #2		
Field	WEBSTER		
County	ROOKS	State	KANSAS
Location:		API # : 15-163-23914-0000	Other Services
1320' FSL & 990' FEL		PERF	
SEC 21 TWP 8S RGE 19W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	1996
Log Measured From	KELLY BUSHING 7' A.G.L.	K.B. 2003	
Drilling Measured From	KELLY BUSHING	D.F. 2001	
		G.L. 1996	
Date	6/10/11		
Run Number	ONE		
Depth Driller	3513		
Depth Logger	894		
Bottom Logged Interval	894		
Top Log Interval	0		
Open Hole Size	7 7/8		
Type Fluid	WATER/OIL		
Density / Viscosity			
Max. Recorded Temp.	720		
Estimated Cement Top			
Time Well Ready			
Time Logger on Bottom			
Equipment Number	747		
Location	HAYS,KANSAS		
Recorded By	R.SMITH		
Witnessed By	GARY WAGNER		
Borehole Record		Tubing Record	
Run Number	Bit	From	To
Casing Record	Size	Wgt/Ft	Top
Surface String	8 5/8		0
Prot. String			
Production String	5 1/2		
Liner			

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS,KANSAS (785) 628-6395
DIRECTIONS, ZURICH,KANSAS - 7 1/4 NORTH ON BLACKTOP - WEST INTO

Database File: 1184temp.db
Dataset Pathname: pass1.1
Presentation Format: temp4
Dataset Creation: Fri Jun 10 08:55:40 2011 by Calc Std Casedhole 08121
Charted by: Depth in Feet scaled 1:240

Charted by:			Depth in Feet scaled 1:240		
0	GR (GAPI)	150	60	TEMP (degF)	120
-9	CCL	1	-0.2	DTMP (degF)	0.2
			TEMP (degF)		






250

300

350

400



68.7

69.2

69.6

70.2


70.6


71.2

71.5

71.8

72.2





450

72.6

72.9

500

73.2

73.5

550

73.7

73.9


600


74.1

74.5

650

74.8








700

750

800

850





TEMP
(degF)