



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company American Warrior, Inc.		
15-135-25212-00-00	Well LaDonna #2-29		
	Field Wildcat		
	County Ness	State	Kansas
	Location SE SW NE SW 1400' FSL / 1880' FWL	Other Services CNL / CDL	
	Sec: 29	Twp: 18S	Rge: 21W
Permanent Datum	Ground Level	Elevation 2119	
Log Measured From	Kelly Bushing	6 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing	K.B. 2125 D.F. 2119 G.L. 2119	
Date	3/1/2011		
Run Number	One		
Depth Driller	4215		
Depth Logger	4209		
Bottom Logged Interval	4208		
Top Log Interval	1350		
Casing Driller	8.625 @ 1373		
Casing Logger	1373		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	9100		
Density / Viscosity	8.9 51		
pH / Fluid Loss	10.0 8.0		
Source of Sample	Flowline		
Rm @ Meas. Temp	0.70 @ 55		
Rmf @ Meas. Temp	0.53 @ 55		
Rmc @ Meas. Temp	0.95 @ 55		
Source of Rmf / Rmc	Charts		
Rm @ BHT	0.32 @ 120		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	120		
Equipment Number	17		
Location	Hays		
Recorded By	R. Barnhart		
Witnessed By	Jason Alm		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Bezine, KS:
1/2E, 1/2N, SE into



Database File: c:\warrior\data\amwar_ladonna #2-29\amwar_ladonna2-29hd.db
Dataset Pathname: dil/amwmain
Presentation Format: dil2in
Dataset Creation: Tue Mar 01 03:25:36 2011
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in Feet scaled 1:500



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50	LSPD
0	Deep Resistivity	50	
1000	Conductivity		0
15000	Line Tension		0
50	Shallow Resistivity	500	
50	Deep Resistivity	500	























1450





Database File: c:\warrior\data\amwar_ladonna #2-29\amwar_ladonna2-29hd.db
 Dataset Pathname: dil/amwmain
 Presentation Format: dil
 Dataset Creation: Tue Mar 01 03:25:36 2011
 Charted by: Depth in Feet scaled 1:240



3400

3450






3500

3550

3600

3650

3700




-31

-31

-31

-31

-31




3750

3800

3850

3900




-31

-31

-31

-31




3950

4000

4050

4100




-31

-31

-30


-30



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

4150

4200



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD