



SUPERIOR
Hays,
Kansas

DUAL RECEIVER CEMENT BOND LOG

Company OIL PRODUCERS INC. OF KANSAS
Well ALBERT BOUZIDEN #18-3 SWD
Field
County BARBER
State KANSAS

Company OIL PRODUCERS INC. OF KANSAS
Well ALBERT BOUZIDEN #18-3 SWD
Field
County BARBER State KANSAS

Location: API # :
2131' FSL & 396' FEL
CENTER OF NE - SE
SEC 18 TWP 34S RGE 13W
Permanent Datum GROUND LEVEL Elevation 1652
Log Measured From KELLY BUSHING 13' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
Elevation
K.B. 1665
D.F. 1663
G.L. 1652

Date 12-20-10

Run Number	ONE
Depth Driller	5408
Depth Logger	5375
Bottom Logged Interval	5373
Top Log Interval	4500
Open Hole Size	7 7/8
Type Fluid	WATER
Density / Viscosity	
Max. Recorded Temp.	
Estimated Cement Top	
Time Well Ready	
Time Logger on Bottom	
Equipment Number	788
Location	HAYS, KS
Recorded By	JEREMY SEIB
Witnessed By	ERIC RIQUE

Borehole Record			Tubing Record		
Run Number	Bit	From	To	Size	Weight
ONE	12 1/4				
TWO	7 7/8				

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	8 5/8			
Prot. String	5 1/2	15.5 #	0	5408
Production String				
Liner				

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING SUPERIOR WELL SERVICES HAYS, KS (785) 628-6395
DIRECTIONS: COLDWATER, KS - 23 EAST TO DEERHEAD RD.(AETNA RD.) - APPROXIMATELY 18
MILES SOUTH TO HACKBERRY RD. - 8 EAST TO LASSWELL RD. - 5 1/2 NORTH - EAST INTO

Database File: 6453.db
Dataset Pathname: pass2.4
Presentation Format: dcbl02
Dataset Creation: Mon Dec 20 19:49:49 2010
Charted by: Depth in Feet scaled 1:240

Charted by: _____			Depth in Feet scaled 1:240						
0	Gamma Ray (GAPI)	150		0	3' Amplitude (mV)	100	200	5FT VDL	1000
200	5' Travel Time (usec)	1000		9	CCL	-1			
-----				0	Amplified Amplitude (mV)	20			







4700


4750

4800

4850

4900








4950

5000

5050

5100






5150

5200

5250


5300


5350



← Amplified Amplitude

CCL →





TD 5375

