



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-055-22,086-00-00

Company H & B Petroleum Corp.

Well Garden City 'A' No. 8

Field Damme

County Finney State Kansas

Location 1615' FSL & 285' FWL

Sec: 17 Twp: 23 S Rge: 33 W

Other Services
DIL
MEL

Permanent Datum Ground Level Elevation 2891
Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation
K.B. 2901
D.F.
G.L. 2891

Date 10/21/2010

Run Number One

Type Log CNL / CDL

Depth Driller 4920

Depth Logger 4920

Bottom Logged Interval 4899

Top Logged Interval 3600

Type Fluid In Hole Chemical

Salinity, PPM CL 2,400

Density 9.3

Level Full

Max. Rec. Temp. F 127

Operating Rig Time 4 Hours

Equipment -- Location 4 Days

Recorded By K. Bange

Witnessed By Jim Musgrove

Borehole Record

Casing Record

Run No. Bit From To Size Wgt. From To

1 12.25 00 437 8.625 24# 00 437

2 7.875 437 4920

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858


Scott City, S to Tennis Rd, 5 W to Big Lowe, 1 1/4 S, E into


Charted by: Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425
			-0.25	Correction	0.25
			LSPD		























6	Caliper (GAPI)	16
---	----------------	----

30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension				0

LSPD
