



SUPERIOR
Hays,
Kansas

SONIC LOG

Company	GLOBE OPERATING, INC.		
Well	JAMES #4		
Field	WILDCAT		
County	LANE	State	KANSAS
Location:	API # : 15-101-22285-0000		Other Services
1325' FNL & 2428' FEL		RAG	
SEC 26 TWP 16S RGE 29W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2796
Log Measured From	KELLY BUSHING 8' A.G.L.	D.F.	2802
Drilling Measured From	KELLY BUSHING	G.L.	2796
Date	3-24-11		
Run Number	TWO		
Depth Driller	4600		
Depth Logger	4599		
Bottom Logged Interval	4592		
Top Log Interval	200		
Casing Driller	223'		
Casing Logger	222'		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.4 / 48	CHLORIDES	1500
pH / Fluid Loss	9.5 / 8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.10 @ 77F		
Rmf @ Meas. Temp	0.83 @ 77F		
Rmc @ Meas. Temp	1.32 @ 77F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	1.70 @ 121F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	121F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	JEFF GRONEWEG		
Witnessed By	JASON ALM		


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SIUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: GOVE, KS - SOUTH 22 MILES TO RD 260 - 1/2 MILE EAST
SOUTH INTO

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	MELCAL (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			







400


450

500

550

600








650


700

750

800









1100

1150

1200

1250







1300


1350

1400

1450









1750

1800

1850

1900







1950


2000

2050

2100

2150







2200


2250

2300

2350








2600


2650

2700

2750

2800








2850


2900

2950

3000









3300

3350

3400

3450







3500

3550

3600

3650






3700


3750

3800

3850

3900








3950


4000

4050

4100








4400


4450

4500
TBHV

4550

ABHV
5.5" CSG







SUPERIOR

Hays,

Kansas

REPEAT SECTION

Database File: 006663rag.db
 Dataset Pathname: pass5.2
 Presentation Format: slt
 Dataset Creation: Fri Mar 25 03:08:40 2011 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

