



SUPERIOR
Hays,
Kansas

SONIC LOG

Company		VINCENT OIL CORPORATION	
Well	KEOUGH #1-34		
Field			
County	FORD	State	KANSAS
Location:		API # : 15-057-20714-0000	
Permanent Datum		GROUND LEVEL	
Log Measured From		Elevation 2491	
Drilling Measured From		KELLY BUSHING 12' A.G.L.	
SEC 34 TWP 28S RGE 23W		CDL/CNL/PE DIL/MEL	
Other Services		Elevation	
K.B. 2503		D.F. 2501	
G.L. 2491			
Date	2/14/11		
Run Number	TWO		
Depth Driller	5350		
Depth Logger	5360		
Bottom Logged Interval	5350		
Top Log Interval	590		
Casing Driller	8 5/8 @ 610		
Casing Logger	609		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 10000 PPM	
Density / Viscosity	9.2/51		
pH / Fluid Loss	10.0/10.0		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.50 @ 68F		
Rmf @ Meas. Temp	.37 @ 68F		
Rmc @ Meas. Temp	.59 @ 68F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	.26 @ 128F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	128F		
Equipment Number	680		
Location	HAYS, KS.		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	MIKEAL MAUNE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395
DIRECTIONS
KINGSDOWN KS. - 2 N. TO WILBURN RD. - 3 3/4 W. - 3/4 N. INTO





SUPERIOR
Hays,
Kansas


MAIN SECTION

Database File: 006692pe.db
Dataset Pathname: pass6.2
Presentation Format: _slt
Dataset Creation: Tue Feb 15 03:34:22 2011 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			








1000



1050


1100

1150

1200









1450


1500

1550

1600









1900


1950

2000

2050









2350

2400

2450

2500







2550


2600



2650


2700























4100

4150

4200

4250






4300


4350

4400

4450

4500







4550

4600

4650

4700








4750


4800

4850

4900









SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 006692pe.db
Dataset Pathname: pass5.2
Presentation Format: _slt
Dataset Creation: Tue Feb 15 02:18:55 2011 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20	
			0 (ft3)	10				

