LOG-TECH

DIGITAL LOG (785) 625-3858

Dual Compensated Porosity Log

API No. 15-101-22280-00-00

Company Brito Oil Company, Inc.

Well Jennison Unit #1-32

Field Wildcat

County Lane State Kansas

Location 1375' FSL / 2360' FWL

Sec: 32 Twp: 16S Rge: 29W

Permanent Datum	Ground Level	Elevation 2768	
Log Measured From	Kelly Bushing	7	Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		

Other Services	Elevation
DIL/MEL	K.B. 2775
	D.F.
	G.L. 2768

Date	3/6/2011
Run Number	One
Type Log	CNL / CDL
Depth Driller	4560
Depth Logger	4563
Bottom Logged Interval	4542
Top Logged Interval	3600
Type Fluid In Hole	Chemical
Salinity, PPM CL	2500
Density	9.1
Level	Full
Max. Rec. Temp. F	124
Operating Rig Time	4 Hours
Equipment -- Location	17 Hays
Recorded By	R. Barnhart
Witnessed By	Brad Rine

Borehole Record

Run No	Bit	From	To
One	12.25	00	260
Two	7.875	260	TD

Casing Record

Size	Wgt.	From	To
8.625	23#	00	260

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Healy, KS:
4E, 3/4N, W into

Database File:	brito_jennison1-32hd.db
Dataset Pathname:	dil/brimain
Presentation Format:	cdl
Dataset Creation:	Sun Mar 06 03:03:46 2011
Charted by:	Depth in Feet scaled 1:600


0 Gamma Ray 150
6 Caliper (GAPI) 16
30 Compensated Density -10
2 Bulk Density 3
15000 Line Tension 0
2.625 DGA 3.425 -0.25 Correction 0.25
LSPD
3600
3650
3700
3750
3800
3850
3900
3950
4000
4050
-32




0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density	-10
2	Bulk Density	3
15000	Line Tension	0
2.625	DGA 3.425 -0.25 Correction	0.25


Database File:	brito_jennison1-32hd.db
Dataset Pathname:	dil/brimain
Presentation Format:	cndlspec
Dataset Creation:	Sun Mar 06 03:03:46 2011
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	CNLS				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0




3800
3850
3900
3950


4000
4050
4100
4150


4200
4250
4300
4350
4400



0	Gamma Ray	150
6	Caliper (GAPI)	16

30	CNLS				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0