

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.

15-187-21,195-00-00

Company White Exploration, Inc.

Well Black Stone 'B' No. 5

Field Arroyo

County Stanton

State

Kansas

Location

NW - NW - NE
330' FNL & 2310' FWL

Sec: 34

Twp: 29 S

Rge: 41 W

Elevation

K.B. 3390
D.F. 3379
G.L. 3379

Permanent Datum Ground Level Elevation 3379
Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date 4/2/2011

Run Number One

Depth Driller 5556

Depth Logger 5560

Bottom Logged Interval 5559

Top Log Interval 1650

Casing Driller 8.625 @ 1656

Casing Logger 1656

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 300

Density / Viscosity 9.3 76

pH / Fluid Loss 11.0 6.4

Source of Sample Flowline

Rm @ Meas. Temp 2.40 @ 70

Rmf @ Meas. Temp 1.80 @ 70

Rmc @ Meas. Temp 3.24 @ 70

Source of Rmf / Rmc Charts

Rm @ BHT 1.28 @ 132

Operating Rig Time 6 Hours

Max Rec. Temp. F 132

Equipment Number 15

Location Hays

Recorded By B. Becker

Witnessed By Dave Goldak

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858



Johnson City, Ks;
6 South to 18 Rd;
1-1/2 West; South Into




Database File: whiteexphd.db
Dataset Pathname: DIL/wht_stk
Presentation Format: dil2in
Dataset Creation: Sat Apr 02 15:21:25 2011
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
-200	SP	0

0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500









3250

3300

3350

3400

3450



3500




3550




3600




3650


3700














Database File: whiteexphd.db
Dataset Pathname: DIL/wht_stk
Presentation Format: dil
Dataset Creation: Sat Apr 02 15:21:25 2011
Charted by: Depth in Feet scaled 1:240






3100

3150

3200

3250




-35

-35

-35

-35





3300

3350

3400

3450






3500

3550

3600

3650

3700




-34

-34

-34

-34

-34




3750

3800

3850

3900




-34

-34

-34

-34




3950

4000

4050

4100




-33

-33

-33

-33




4150

4200

4250

4300

4350




-33

-35

-35

-35

-35




4400

4450

4500

4550




-35

-35

-34

-34




4600

4650

4700

4750




-34

-34

-34

-34




4800

4850

4900

4950

5000




-33

-33

-33

-34

-33




5050

5100

5150

5200




-34

-33

-33

-32




5250

5300

5350

5400

5450




-32

-33

-32

-32

-32



5500

5550

