



SUPERIOR
Hays,
Kansas

COMPENSATED
DENSITY / NEUTRON
PE LOG

Company	VINCENT OIL CORP.	Company	VINCENT OIL CORPORATION
Well	PERKINS #2-33	Well	PERKINS #2-33
Field	MULBERRY CREEK	Field	MULBERRY CREEK
County	FORD	County	FORD
State	KANSAS	State	KANSAS
Location:	AP1 # : 15-057-20712-0000 2775' FSL & 150' FEL	Other Services	DIL MEL/SON
SEC 33 TWP 28S RGE 23W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2514
Log Measured From	KELLY BUSHING 12' A.G.L.	K.B. 2526	
Drilling Measured From	KELLY BUSHING	D.F. 2524	
		G.L. 2514	
Date	1/7/11		
Run Number	ONE		
Depth Driller	5385		
Depth Logger	5389		
Bottom Logged Interval	5365		
Top Log Interval	4150		
Casing Driller	8 7/8" @ 611		
Casing Logger	610		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 9900 PPM	
Density / Viscosity	9.3/58		
pH / Fluid Loss	9.5/12.4		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.48 @ 74F		
Rinf @ Meas. Temp	.36 @ 74F		
Rmc @ Meas. Temp	.57 @ 74F		
Source of Rinf / Rmc	MEASURED		
Rim @ BHT	.27 @ 128F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	128F		
Equipment Number	680		
Location	HAYS, KS.		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	JIM HALL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395
DIRECTIONS
KINGSDOWN KS. - N. TO WILBURN RD. - 4 W. TO RD 121 - 1/2 N. - W. INTO





SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: 006441pe.db
Dataset Pathname: pass3.1
Presentation Format: _ldt_neu
Dataset Creation: Fri Jan 07 16:54:01 2011 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)				-10	
6	CALIPER (in)	16	10 (ft3)	0	30	COMPENSATED NEUTRON (pu)				-10
			TBHV	0	PE	10	-0.25	CORRECTION (g/cc)	0.25	
			0 (ft3)	10						











4800


4850

4900

4950











SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 006441pe.db
Dataset Pathname: pass2.1
Presentation Format: _ldt_neu
Dataset Creation: Fri Jan 07 16:32:56 2011 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)			-10
6	CALIPER (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)			-10
			TBHV	0	PE	10	-0.25	CORRECTION (g/cc) 0.25
			0 (ft3) 10					






5200

5250

5300

5350



Window 2	909.9	7071.9	2431.0	8565.8	cps
Window 3	683.8	2939.8	1161.0	3161.8	cps
Window 4	231.4	231.6	226.7	230.8	cps
Long Space	0.0	6702.0	1461.7	7595.9	cps
Short Space	1.2	1433.6	959.4	1568.6	cps
Rho		1.7100	2.5900	1.3800	g/cc
Pe			2.5700	1.5500	
Rib Angle	: 45.2	Rib Slope	: 1.008	Density/Spine Ratio	: 0.559
Spine Angle	: 75.2	Spine Slope	: 3.791	Spine Intercept	: -18.7

Caliper					
	Readings	Reference			
Low Ref	2.7	8.0			
High Ref	4.9	14.0			
	Gain: 2.8	Offset: 0.1			

Compensated Neutron Calibration Report

Serial Number:	5I
Tool Model:	G

CALIBRATION						
Detector		Readings		Target		Normalization
Short Space		1.00	cps	1.00	cps	1.0000
Long Space		1.00	cps	1.00	cps	1.0000

Gamma Ray Calibration Report

Serial Number:	GR6				
Tool Model:	OPEN				
Performed:	Wed Jul 14 14:14:30 2010				
Calibrator Value:	150.0	GAPI			
Background Reading:	0.0	cps			
Calibrator Reading:	276.0	cps			
Sensitivity:	0.6535	GAPI/cps			