



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.		Company Reif Oil & Gas Company									
		Well D. Steinert No. 1									
		Field Wildcat									
		County Barton State Kansas									
15-009-25536-00-00		Location					Other Services				
		SW - SE - NE					CNL/CDL				
		2229' FNL & 1164' FEL					MEL/DIL				
		Sec: 3 Twp: 17 S Rge: 15 W					Elevation				
Permanent Datum		Ground Level					K.B. 1968				
Log Measured From		Kelly Bushing					D.F. 1959				
Drilling Measured From		Kelly Bushing					G.L. 1959				
Date		4/8/2011									
Run Number		Two									
Type Log		BHC Sonic									
Depth Driller		3620									
Depth Logger		3616									
Bottom Logged Interval		3605									
Top Logged Interval		500									
Type Fluid In Hole		Chemical									
Salinity, PPM CL		10,500									
Density		9.25									
Level		Full									
Max. Rec. Temp. F		112									
Operating Rig Time		5 Hours									
Equipment -- Location		15 Days									
Recorded By		B. Becker									
Witnessed By		Don Reif					Josh Austin				
		Borehole Record					Casing Record				
Run No.	Bit	From	To	Size	Wgt.	From	To				
1	12.25	00	502	8.625	24#	00	502				
2	7.875	502	3620								

<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Galatia, Ks; 2-1/2 South;
West Into Location



Charted by:		Depth in Feet scaled 1:2.15					
0	Gamma Ray	150	5	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300		0	30	SPOR	-10
6	Caliper (GAPI)	16			15000	LTEN (lb)	0
							LSPD



















































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16

3600



Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10
	15000	LTEN (lb)	0

LSPD