



Fracfinder

DIGITAL LOG (785) 625-3858

API No. 15-185-23,672-00-00		Company F. G. Holl Co., LLC. Well Krupp No. 1-10 Field County Stafford State Kansas		Location NW SE NE 1,600' FNL & 2,260' FEL Sec: 10 Twp: 22 S Rge: 14 W		Offset DIL/MEL BHC Elevation K.B. 1940 D.F. 1932 G.L. 1932	
Permanent Datum Ground Level Log Measured From Kelly Bushing Drilling Measured From Kelly Bushing		Elevation 1932 8 Ft. Above Perm. Datum					
Date 4/3/2011							
Run Number		Two					
Type Log		BHC Sonic					
Depth Driller		4000					
Depth Logger		4000					
Bottom Logged Interval		3989					
Top Logged Interval		3500					
Type Fluid In Hole		Chemical					
Salinity, PPM CL		4300					
Density		9.1					
Level		Full					
Max. Rec. Temp. F		116					
Operating Rig Time		6 Hours					
Equipment -- Location		10 Hays					
Recorded By		Jim Schuler					
Witnessed By		Ryan Greenbaum					
Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
One	12.25	0	844	8.625	23#	0	844
Two	7.875	844	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Great Bend South on 281 to K 19. West 5 miles
to NW 50 Ave, South 1/2 Miles, West Into

Database File: fgholl_krupp_1_10.db
Dataset Pathname: stack/pass3.1
Presentation Format: fracfind
Dataset Creation: Mon Apr 04 01:18:10 2011 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

Charted by:		Depth (m) not scaled 1:2.15	
0	Gamma Ray (GAPI)	150	
6	Caliper (in)	16	
140	Delta Time (usec/ft)	40	
		200	WVF3
			1200






3700

3750

3800

3850

0	Gamma Ray (GAPI)	150
6	Caliper (in)	16
140	Delta Time (usec/ft)	40



200	WVF3	1200
-----	------	------