

DIGITAL LOG

(785) 625-3858

API No.

Company F. G. Holl Co., LLC.

Well Krupp No. 1-10

County Stafford

State Kansas

15-185-23,672-00-00

Location

NW SE NE

Sec: 10 Twp: 22 S Rge: 14 W

Elevation

Point	Elevation 1932 Datum
Ground Level	8 Ft. Above Perm. Datum
Kelly Bushing	

and from Kelly Bushing

4/3/2011

	CNL / CDL / MICRO
--	-------------------

	4000
--	------

Interval	1800
----------	------

MCL	4300
-----	------

Full	7
------	---

Time	6 Hours	10 Hours
------	---------	----------

Jill Schuler	
Dyan Groopman	

Ryan Greenbaum

Borehole Record

Casing Record

From

0	
---	--

Size

Wgt

From

0	
---	--

844

 TD |

1

--	--

--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Great Bend South on 281 to K 19. West 5 miles
to NW 50 Ave, South 1/2 Miles, West Into


Database File: fgholl_krupp_1_10hd.db
Dataset Pathname: DIL/fgstk
Presentation Format: cdl
Dataset Creation: Mon Apr 04 01:49:20 2011
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD








2250

2300

2350

2400




-35

-37

-35

-35





2450


2500

2550

2600








2900

2950

3000

3050





-34



-33


-33

-33










3750

3800

3850

3900




-11

-10

-10



-10




LOG-TECH

High Resolution


Database File: fgholl_krupp_1_10hd.db
 Dataset Pathname: DIL/fgsthr2
 Presentation Format: cndlspml
 Dataset Creation: Mon Apr 04 02:33:03 2011
 Charted by: Depth in Feet scaled 1:120






3500

3550




-8-

-11-




3600

3650




-10




3700


3750



-10


-11






3900


3950





-10


-13


























LOG-TECH

Dolomite Matrix (2.83)

Database File: fgholl_krupp_1_10hd.db
 Dataset Pathname: DIL/fgstkdo
 Presentation Format: cndldol
 Dataset Creation: Mon Apr 04 01:49:37 2011
 Charted by: Depth in Feet scaled 1:240


0 Gamma Ray 150


6 Caliper (GAPI) 16

30 Compensated Neutron -10

30 Compensated Density -10

LSPD



			4000							
0	Gamma Ray	150	30			Compensated Neutron			-10	
6	Caliper (GAPI)	16	30			Compensated Density			-10	
			2.625			DGA	3.425	-0.25	Correction	0.25
			15000			Line Tension			0	
									LSPD	