



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-009-25,529-00-00

Company: Reif Oil and Gas Company, LLC.
 Well: Huslig No. 2
 Field: Huslig
 County: Barton
 State: Kansas

Location: NW SW SE
 930' FSL & 2,310' FEL

Sec: 13 Twp: 17 S Rge: 12 W

Other Services: DIL, MEI/BHCS

Permanent Datum: Ground Level Elevation 1830
 Log Measured From: Kelly Bushing 7 Ft. Above Perm. Datum
 Drilling Measured From: Kelly Bushing

K.B. 1837
 D.F. 1830
 G.L. 1830

Date: 3/23/2011

Run Number: One

Type Log: CNL / CDL

Depth Driller: 3360

Depth Logger: 3363

Bottom Logged Interval: 3342

Top Logged Interval: 2700

Type Fluid In Hole: Chemical

Salinity, PPM CL: 7900

Density: 9.3

Level: Full

Max. Rec. Temp. F: 110

Operating Rig Time: 5 Hours

Equipment -- Location: 10 Hays

Recorded By: Jim Schuler

Witnessed By: Jim Musgrove

Other Personnel: Josh Austin, Don Reif

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	366	8.625	24#	00	366
2	7.875	366	3360				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858

Odin, Kansas, 1/2 East, North Into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			









