

LOG-TECH



Microresistivity Log

DIGITAL LOG (785) 625-3858

15-163-23933-00-00

Company American Warrior, Inc.

Well Maynew No. 1-24

Field Maynew

County Rocks

State

Kansas

Location

SE - NW - SE
1540' FSL & 1790' FEL

Sec: 24

Twp: 9 S

Rge: 19 W

Elevation

Permanent Datum Ground Level Elevation 2190
Log Measured From Kelly Bushing 8 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Other Services
CNL/CDL
DIL
K.B. 2198
D.F.
G.L. 2190

Date 3/20/2011

Run Number Two

Depth Driller 3669

Depth Logger 3667

Bottom Logged Interval 3666

Top Log Interval 3000

Casing Driller 8.625 @ 222

Casing Logger 222

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 1500

Density / Viscosity 9.1 61

pH / Fluid Loss 9.5 8.8

Source of Sample Flowline

Rm @ Meas. Temp 2.30 @ 70

Rmf @ Meas. Temp 1.73 @ 70

Rmc @ Meas. Temp 3.11 @ 70

Source of Rmf / Rmc Charts

Rm @ BHT 1.77 @ 113

Operating Rig Time 3 Hours

Max Rec. Temp. F 113

Equipment Number 15

Location Hays

Recorded By B. Becker

Witnessed By Marc Downing

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Plainville, Ks;
4 West; 1-1/4 North;
West Into

Database File: amwarhd.db
Dataset Pathname: DIL/awstk
Presentation Format: micro
Dataset Creation: Sun Mar 20 21:34:48 2011
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0




3000

3050

3100

3150

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD




-31

-32

-32

-31




3200


3250

3300

3350

3400






3450

3500

3550

3600




-30

-30


-30

-30



0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

3650



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

-30

LSPD