



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-195-22692-00-00

Company **Cholla Production, LLC**
 Well **Denison #1-10**
 Field **Wakeeney**
 County **Trego** State **Kansas**

Location **NE NW NW SW
2530' FSL / 630' FWL**

Other Services
DIL
MEL / BHCS

Permanent Datum **Ground Level** Elevation **2251**
 Log Measured From **Kelly Bushing** 5 Ft. Above Perm. Datum
 Drilling Measured From **Kelly Bushing**

Sec: **10** Twp: **11S** Rge: **23W**

Elevation
K.B. 2256
D.F. 2251
G.L. 2251

Date	2/21/2011
Run Number	One
Type Log	CNL / CDL
Depth Driller	3979
Depth Logger	3985
Bottom Logged Interval	3964
Top Logged Interval	3000
Type Fluid In Hole	Chemical
Salinity, PPM CL	1900
Density	9.1
Level	Full
Max. Rec. Temp. F	116
Operating Rig Time	5 Hours
Equipment -- Location	4 Days
Recorded By	R. Barnhart
Witnessed By	Bill Goff

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	2.25	00	263	8.625	24#	00	263
2	7.875	263	3979				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
 (785) 625-3858

Wakeeney, KS:
 6.5N, E into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			





2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD

Database File: c:\warrior\data\cholla_denison #1-10\cholla_denison1-10hd.db
 Dataset Pathname: dil/chostack
 Presentation Format: cndlspec
 Dataset Creation: Tue Feb 22 00:35:06 2011
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10			
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)	-10			
			2.625	DGA	3.425	-0.25	Correction	0.25
			15000	Line Tension				0
								LSPD

