



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Falcon Exploration, Inc.			
	Well Davis No. 1-33 (SW)			
	Field Wildcat			
	County	Gray	State	Kansas
	Location	1,500' FSL & 2,000' FWL		
	Sec: 33	Twp: 27 S	Rge: 30 W	Other Services CNL/CDL MEL/BHCS
Permanent Datum	Ground Level		Elevation 2809	K.B. 2822
Log Measured From	Kelly Bushing		13 Ft. Above Perm. Datum	D.F. 2809
Drilling Measured From	Kelly Bushing			G.L. 2809
Date	1/31/2011			
Run Number	One			
Depth Driller	5456			
Depth Logger	5458			
Bottom Logged Interval	5457			
Top Log Interval	0			
Casing Driller	8.625 @ 1881			
Casing Logger	1876			
Bit Size	7.875			
Type Fluid in Hole	Chemical			
Salinity, ppm CL	1250			
Density / Viscosity	9.5 58			
pH / Fluid Loss	10.5 6.8			
Source of Sample	Flowline			
Rm @ Meas. Temp	1.5 @ 45			
Rmf @ Meas. Temp	1.13 @ 45			
Rmc @ Meas. Temp	2.03 @ 45			
Source of Rmf / Rmc	Charts			
Rm @ BHT	.52 @ 131			
Operating Rig Time	6 Hours			
Max Rec. Temp. F	131			
Equipment Number	10			
Location	Hays			
Recorded By	J Schuler			
Witnessed By	Dave Williams			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Montezuma West to 144, West to 3rd Road, North 6 Miles
to Y Road, 1/2 East, North Into

Database File: c:\warrior\data\falcon_davis no. 1-33 (sw)\falcon_davis_1_33hd.db
Dataset Pathname: dil/falstk
Presentation Format: dil2in
Dataset Creation: Mon Jan 31 15:45:44 2011
Charted by: Depth in Feet scaled 1:600


Charted by: Depth in Feet scaled 1:500

0	Gamma Ray	150
-200	SP (mV)	0


0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0








0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0







0	LSPD	0
---	------	---



















Database File: c:\warrior\data\falcon_davis no. 1-33 (sw)\falcon_davis_1_33hd.db
Dataset Pathname: dil/falstk
Presentation Format: dil
Dataset Creation: Mon Jan 31 15:45:44 2011
Charted by: Depth in Feet scaled 1:240

-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD




2600

2650

2700

2750




-37

-38

-36

-36




2800

2850

2900

2950

3000




-36

-36

-36

-36

-36




3050

3100

3150

3200




-36

-36

-35

-36




3250

3300

3350

3400

3450




-35

-36

-35

-35

-35




3500

3550

3600

3650




-35

-35

-34

-35




3700

3750

3800

3850




-34

-34

-34

-34




3900

3950

4000

4050

4100




-34

-34

-34

-34

-34




4150

4200

4250

4300




-34

-33

-33

-32




4350

4400

4450

4500

4550




-33

-33

-33

-33

-33




4600

4650

4700

4750




-35

-34

-34

-30




4800

4850

4900

4950




-29

-29

-29

-29




5000

5050

5100

5150

5200




-29

-29

-29

-29

-28




5250

5300

5350

5400




-29


-28

-28

-28



5450



-28

LSPD