



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Falcon Exploration, Inc.		
15-069-20334-00-00	Well M.D. Isaac No. 1-34 (NW)		
	Field Wildcat		
	County Gray	State	Kansas
	Location NW - SW - SE - NW 2140' FNL & 1620' FWL	Other Services CNL/CDL MEL/BHCS	
	Sec: 34	Twp: 27 S	Rge: 30 W
Permanent Datum	Ground Level	Elevation 2799	
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing	K.B. 2809 D.F. 2799 G.L. 2799	
Date	1/16/2011		
Run Number	One		
Depth Driller	5458		
Depth Logger	5462		
Bottom Logged Interval	5461		
Top Log Interval	1850		
Casing Driller	8.625 @ 1868		
Casing Logger	1867		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	2.700		
Density / Viscosity	9.4 40		
pH / Fluid Loss	9.0 9.6		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.50 @ 50		
Rmf @ Meas. Temp	1.13 @ 50		
Rmc @ Meas. Temp	2.03 @ 50		
Source of Rmf / Rmc	Charts		
Rm @ BHT	0.57 @ 131		
Operating Rig Time	6 Hours		
Max Rec. Temp. F	131		
Equipment Number	15		
Location	Hays		
Recorded By	B. Becker		
Witnessed By	Keith Reavis		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Montezuma, Ks;
3-1/2 North; 8 West; 1/2 North
East Into (between houses)




Database File: c:\warrior\data\falcon_m.d. isaac no. 1-34 (nw)\falconhd.db
Dataset Pathname: DIL/flcnstk
Presentation Format: dil2in
Dataset Creation: Sun Jan 16 11:25:15 2011
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD	0
------	---




















Database File: c:\warrior\data\falcon_m.d. isaac no. 1-34 (nw)\falconhd.db
Dataset Pathname: DIL/flcnstk
Presentation Format: dil
Dataset Creation: Sun Jan 16 11:25:15 2011
Charted by: Depth in Feet scaled 1:240

Gamma Ray		150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD




2600

2650

2700

2750




-31

-30

-33

-32




2800

2850

2900

2950

3000




-32

-32

-32

-32

-32




3050

3100

3150

3200




-32

-32

-32

-32




3250

3300

3350

3400

3450




-32

-32

-31

-31

-31




3500

3550

3600

3650




-31

-31

-31

-31




3700

3750

3800

3850




-28

-6

-31

-31




3900

3950

4000

4050

4100




-30

-31

-30

-30

-30




4150

4200

4250

4300




-30

-30

-30

-32




4350

4400

4450

4500

4550




-33

-33

-32

-33

-33




4600

4650

4700

4750




-32

-32

-32

-32




4800

4850

4900

4950




-32

-32

-32

-32




5000

5050

5100

5150

5200




-32

-32

-32

-32

-31




5250

5300

5350

5400




-31

-31

-31

-31



5450

