



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company White Exploration Inc.		
15-007-23629-00-00	Well Ash "B" #1		
	Field Medicine Lodge North		
	County Barber	State	Kansas
	Location NW NE SW 2310' FSL & 1650' FWL	Other Services CNL / CDL MEL / BHCS	
	Sec: 27	Twp: 32S	Rge: 12W
Permanent Datum	Ground Level	Elevation 1600	
Log Measured From	Kelly Bushing	9 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing	K.B. 1609 D.F. 1609 G.L. 1600	
Date	12/15/2010		
Run Number	One		
Depth Driller	4925		
Depth Logger	4923		
Bottom Logged Interval	4922		
Top Log Interval	250		
Casing Driller	8.625 @ 296		
Casing Logger	297		
Bit Size	7.785		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	3500		
Density / Viscosity	9.4 48		
pH / Fluid Loss	10.0 9.6		
Source of Sample	Flowline		
Rm @ Meas. Temp	0.75 @ 58		
Rmf @ Meas. Temp	0.56 @ 58		
Rmc @ Meas. Temp	1.01 @ 58		
Source of Rmf / Rmc	Charts		
Rm @ BHT	0.35 @ 58		
Operating Rig Time	6 Hours		
Max Rec. Temp. F	125		
Equipment Number	4		
Location	Hays		
Recorded By	R. Barnhart		
Witnessed By	Wes Hansen		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Medicine Lodge, KS:
2S, to Pleasant Hill Rd, W to fork, continue W
to curve, W to location



Database File: c:\warrior\data\white exploration_ash b #1\white_121510hd.db
Dataset Pathname: dil\white
Presentation Format: dil2in
Dataset Creation: Wed Dec 15 13:38:03 2010
Charted by: Depth in Feet scaled 1:600




Charted by: Depth in Feet scaled 1:500



0	Gamma Ray	150
-200	SP (mV)	0



0 Shallow Resistivity 50			LSPD
0 Deep Resistivity 50			
1000 Conductivity			0
15000 Line Tension			0
	50 Shallow Resistivity 500		
	50 Deep Resistivity 500		






























Database File: c:\warrior\data\white exploration_ash b #1\white_121510hd.db
Dataset Pathname: dil\white
Presentation Format: dil
Dataset Creation: Wed Dec 15 13:38:03 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Deep Resistivity	2000
-200	SP (mV)	0	0.2	Medium Resistivity	2000
-160	Rxo / Rt	40	0.2	Shallow Resistivity	2000
			15000	Line Tension	0




3000

3050

3100

3150

3200




-36

-36

-36

-36

-36




3250

3300

3350

3400




-36

-35

-35

-35




3450

3500

3550

3600




-35

-34

-34

-35




3650

3700

3750

3800

3850




-34

-34

-34

-33

-33




3900

3950

4000

4050




-33

-33

-33

-33




4100

4150

4200

4250

4300




-33

-33

-29

-30

-32




4350

4400

4450

4500




-31

-30

-30

-30




4550

4600

4650

4700





-27

-31

-31

-33



LSPD