



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-163-23891-00-00

Company Gore Oil Company

Well Ganoung #B-1

Field Ganoung

County Rooks

State Kansas

Location

W2 SW SW
660' FSL & 330' FWL

Other Services
DIL / MEL

Sec: 32

Twp: 9S

Rge: 17W

Permanent Datum

Ground Level

Elevation 2105

Log Measured From

Kelly Bushing

8 Ft. Above Perm. Datum

K.B. 2113
D.F. 2105
G.L. 2105

Date

10/30/2010

Run Number

One

Type Log

CNL / CDL

Depth Driller

3597

Depth Logger

3600

Bottom Logged Interval

3579

Top Logged Interval

2900

Type Fluid In Hole

Chemical

Salinity, PPM CL

5000

Density

9.1

Level

Full

Max. Rec. Temp. F

114

Operating Rig Time

4 Hours

Equipment -- Location

17 Hays

Recorded By

R. Barnhart

Witnessed By

Don Rider

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

307

8.625

23#

00

307

Two

7.875

307

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Plainville, KS, Hwy 18:
2 E, 3/4 S, E into

Database File: gore_ganoungb-1hd.db
Dataset Pathname: dil/goremain
Presentation Format: cdl
Dataset Creation: Sun Oct 31 00:13:49 2010
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD







Database File: gore_ganoungb-1hd.db
Dataset Pathname: dil/goremain
Presentation Format: cndlspec
Dataset Creation: Sun Oct 31 00:13:49 2010
Charted by: Depth in Feet scaled 1:240









0	Gamma Ray	150	30	CNLS				-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)				-10
			2.625	DGA	3.425	-0.25	Correction	0.25
			10000	Line Tension				0