



DIGITAL LOG (785) 625-3858

Dual Induction Log

API No.	15-077-21,699-00-00		
Company	Charles N. Griffin		
Well	Koblitz No 5 "B"		
Field	Hibbord		
County	Harper	State	Kansas
Location	1650' FNL & 3717' FEL		
Sec:	26	Twp:	34S Rge: 9W
Other Services	CNL/CDL		

Permanent Datum	Ground Level	Elevation	1276
Log Measured From	Kelly Bushing	9	Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		
Date	09/21/2010		
Run Number	One		
Depth Driller	4720		
Depth Logger	4724		
Bottom Logged Interval	4723		
Top Log Interval	250		
Casing Driller	8.625 @ 265		
Casing Logger	264		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	10,400		
Density / Viscosity	8.8	46	
pH / Fluid Loss	9.5	9.6	
Source of Sample	Flowline		
Rm @ Meas. Temp	1.2	@ 74	
Rmf @ Meas. Temp	.90	@ 74	
Rmc @ Meas. Temp	1.62	@ 74	
Source of Rmf / Rmc	Charts		
Rm @ BHT	.71	@ 125	
Operating Rig Time	2 1/2 Hours		
Max Rec. Temp. F	125		
Equipment Number	17		
Location	Hays		
Recorded By	Mike Garrison		
Witnessed By	Charles Griffin		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Sharon, South on Tri City Blacktop to Hwy 2, East to Rd, 140th, South To 60th, 1 1/4 East, South Into at Tanks

Database File: c:\warrior\data\griffin_koblitz no 5b\griffin_koblitz-5bhd.db
 Dataset Pathname: dil/grifstck
 Presentation Format: dil2in
 Dataset Creation: Tue Sep 21 10:50:28 2010
 Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50



LSPD



1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500


























Database File: c:\warrior\data\griffin_koblitz no 5b\griffin_koblitz-5bhd.db
 Dataset Pathname: dil/grifstck
 Presentation Format: dil
 Dataset Creation: Tue Sep 21 10:50:28 2010
 Charted by: Depth in Feet scaled 1:240






3400

3450

3500

3550




-35

-35

-35

-35




3600

3650

3700

3750

3800




-35

-35

-34

-34

-34




3850

3900

3950

4000




-34

-34

-34

-34




4050

4100

4150

4200




-34

-34

-34

-34




4250

4300

4350

4400

4450




-34

-34

-33

-33

-33




4500

4550

4600

4650



-33

-33

-33

-33



4700

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40



-33

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD