

Dual Compensated Porosity Log


(785) 625-3858


<<< Fold Here >>>
All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.
Comments
Thank you for using Log-Tech, Inc. (785) 625-3858 St John's S to Highway 50, 1W, 1/4S, W Into

Database File: c:\warrior\data\griffin_shrack no. 1\griffinhd.db
Dataset Pathname: dil\grifftd
Presentation Format: cdl
Dataset Creation: Sun Jun 06 15:25:39 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			








0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425
			-0.25	Correction	0.25
			LSPD		


Database File: c:\warrior\data\griffin_shrack no. 1\griffinhd.db Dataset Pathname: dil/griffdt Presentation Format: cndlspec Dataset Creation: Sun Jun 06 15:25:39 2010 Charted by: Depth in Feet scaled 1:240					
0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)	-10
			2.625	DGA	3.425
			-0.25	Correction	0.25
			15000	Line Tension	0
			LSPD		















0	Gamma Ray	150
6	Caliper (GAPI)	16



30	Compensated Neutron (Limestone)		-10
30	Compensated Density (2.71 ma)		-10
2.625	DGA	3.425	-0.25
			Correction
15000	Line Tension		0

LSPD