



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-069-20,340-00-00		Company Falcon Exploration, Inc.	
Well Ron Jantz No. 1-20 (SW)		Field Wildcat	
County Gray		State Kansas	
Location NW NW NE SW 2,420' FSL & 1,620' FWL		Other Services CNL/CDL DIL/BHCS	
Sec: 20 Twp: 28S Rge: 30W		Elevation K.B. 2788 D.F. 2775 G.L. 2775	
Permanent Datum Ground Level		Elevation 2775	
Log Measured From Kelly Bushing		13 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing			
Date	3/28/2011		
Run Number	Two		
Depth Driller	6230		
Depth Logger	6229		
Bottom Logged Interval	6228		
Top Log Interval	2600		
Casing Driller	8.625 @ 1875		
Casing Logger	1874		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	2000		
Density / Viscosity	9.4 52		
pH / Fluid Loss	9.5 8.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.70 @ 54		
Rmf @ Meas. Temp	1.28 @ 54		
Rmc @ Meas. Temp	2.30 @ 54		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.66 @ 138		
Operating Rig Time	6 Hours		
Max Rec. Temp. F	138		
Equipment Number	10		
Location	Hays		
Recorded By	J. Long		
Witnessed By	Keith Reavis		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Montezuma, 1 Mile Southwest on 56 Highway to CC Rd, 8 1/2 West, North Into




High Resolution

Database File: c:\warrior\data\falcon_\ron jantz #1-20 (sw)\falcon_\ronjantz_1-20hd.db
Dataset Pathname: dil/hrstck
Presentation Format: micro
Dataset Creation: Tue Mar 29 09:59:46 2011
Charted by: Depth in Feet scaled 1:120

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0


0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD




2650

2700




-11

-11





2750




-11

LSPD

Database File: c:\warrior\data\falcon_\ron jantz #1-20 (sw)\falcon_\ronjantz_1-20hd.db
Dataset Pathname: dil/falstck
Presentation Format: micro
Dataset Creation: Tue Mar 29 09:59:40 2011
Charted by: Depth in Feet scaled 1:240



-200 SP (mV) 0



2600

2650


2700

2750

2800

15000 Line Weight 0

LSPD




-28

-11

-11

-11

-11





2850

2900

2950

3000







3050

3100

3150

3200






3250

3300

3350

3400

3450




-36

-36

-36

-36

-35




3500

3550

3600

3650







-36


-35

-36

-36









4150

4200

4250

4300






4350

4400

4450

4500

4550




-37

-37

-35

-36

-36




4600

4650

4700

4750




-36

-36

-36

-35




4800

4850

4900

4950

5000




-36

-36

-36

-35

-35





5050

5100

5150

5200






5250

5300

5350

5400




-34

-34

-33

-35




5450

5500

5550

5600

5650




-35

-35

-35

-35

-35




5700

5750

5800

5850






-35

-35

-35


-35





6150

6200



LSPD