

Borehole Compensated Sonic Log

(785) 625-3858

Company American Warrior, Inc.

Well L. Ruff No. 1-25

Field Ruff

County Hodgeman State Kansas

15-083-21,704-00-00

Sec: 25 Twp: 22S Rge: 22W

Ground Level	Elevation 2256
Kelly Bushing	11 Ft. Above Perm. Datum

Elevation

2261 K.D. B.

Date	5/21/20
------	---------

Type Log	BHC Sonic

Depth Logger	4600
--------------	------

Top Logged Interval	250
---------------------	-----

Salinity, PPM CL	11800
------------------	-------

Level	Full
-------	------

Operating rig time	4 Hours
Estimated cost	10

Recorded By	J. Long
Revised By	Harley Coville

Borehole Record

[illegible]

un No.	Bit	From	To
--------	-----	------	----

2	7.875	267	4600
---	-------	-----	------

--	--	--	--

--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Hanston, 3/4 South on Highway Avenue to O Road, 1 3/4 East, South Into



Database File: c:\warrior\data\amwar_l. ruff no. 1-25\amwarrior_l\ruff_1-25hd.db
Dataset Pathname: dil\awstck
Presentation Format: sonic
Dataset Creation: Sat May 21 20:10:28 2011
Charted by: Depth in Feet scaled 1:240



Charted by:		Depth in Feet scaled 1:2.15					
0	Gamma Ray	150	5	0	140	Delta Time (usec/ft)	40
150	Gamma Ray	300			30	SPOR	-10
6	Caliper (GAPI)	16			15000	LTEN (lb)	0
							LSPD







































































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16



Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10
	15000	LTEN (lb)	0

