



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.		Company McCoy Petroleum Corporation	
15-051-26139-00-00		Well DOR-KAY 'A' No. 1-21	
Field Wildcat		County Ellis State Kansas	
Location N/2 - SE - NW - NE 840' FNL & 1650' FEL		Other Services NONE	
Sec: 21 Twp: 13 S Rge: 19 W		Elevation K.B. 2054 D.F. 2049 G.L. 2049	
Permanent Datum Ground Level		Elevation 2049	
Log Measured From Kelly Bushing		5 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing			
Date	5/10/2011		
Run Number	One		
Depth Driller	3750		
Depth Logger	3751		
Bottom Logged Interval	3750		
Top Log Interval	200		
Casing Driller	8.625 @ 220		
Casing Logger	217		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	2500		
Density / Viscosity	9.3 57		
pH / Fluid Loss	10.0 7.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.70 @ 65		
Rmf @ Meas. Temp	1.28 @ 65		
Rmc @ Meas. Temp	2.30 @ 65		
Source of Rmf / Rmc	Charts		
Rm @ BHT	0.97 @ 114		
Operating Rig Time	2-1/2 Hours		
Max Rec. Temp. F	114		
Equipment Number	15		
Location	Hays		
Recorded By	B. Becker		
Witnessed By	Robert Hendrix		


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Yocemento Ave and Old Hwy 40;
1/8 North across RR tracks;
3/4 West (across bridge); North Into





750

800

850

900

950

1000


1050

1100

1150

1200

1250



-83

-83

-83

-83

-83

-83



-83


-83

-82

-43

-43





1850

1900

1950

2000

2050

2100


2150

2200

2250

2300

2350



-78

-78

-78

-77

-76

-76


-76

-76

-76

-75

-76



2400

2450

2500

2550

2600

2650


2700

2750

2800

2850

2900



-75

-76

-76

-76

-76

-76


-77

-76

-76

-76

-76



2950

3000

3050

3100

3150

3200


3250

3300

3350

3400

3450



-76

-32

-32

-32

-32

-32


-32

-32

-31


-31


-31





Database File: c:\warrior\data\mccoy_dor-kay 'a' no. 1-21\mccoyhd.db
 Dataset Pathname: RAG/mcrag
 Presentation Format: rag
 Dataset Creation: Tue May 10 20:51:08 2011
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150	0.2	Long Guard	2000
6	Caliper (GAPI)	16	560	Neutron	2160
-200	SP (mV)	0	15000	Line Tension	0
			LSPD		









Database File: c:\warrior\data\mccoy_dor-kay 'a' no. 1-21\mccoyhd.db
 Dataset Pathname: RAG/mcrag
 Presentation Format: rag
 Dataset Creation: Tue May 10 20:51:08 2011
 Charted by: Depth in Feet scaled 1:240











LSPD