



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	Company McCoy Petroleum Corporation		
	Well McCelland 'A' No. 1-8		
	Field Wildcat		
	County Ellis	State	Kansas
	Location	N/2 - SE - SE 990' FSL & 660' FEL	
	Sec: 8	Twp: 12 S	Rge: 19 W
	Permanent Datum	Ground Level	Elevation 2197
	Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum
	Drilling Measured From	Kelly Bushing	
	Date	5/4/2011	
	Run Number	Two	
	Depth Driller	3810	
	Depth Logger	3810	
	Bottom Logged Interval	3809	
	Top Log Interval	3100	
	Casing Driller	8.625 @ 220	
	Casing Logger	218	
	Bit Size	7.875	
	Type Fluid in Hole	Chemical	
	Salinity, ppm CL	3000	
	Density / Viscosity	9.2 54	
	pH / Fluid Loss	10.0 8.4	
	Source of Sample	Flowline	
	Rm @ Meas. Temp	1.60 @ 65	
	Rmf @ Meas. Temp	1.20 @ 65	
	Rmc @ Meas. Temp	2.16 @ 65	
	Source of Rmf / Rmc	Charts	
	Rm @ BHT	0.91 @ 114	
	Operating Rig Time	3-1/2 Hours	
	Max Rec. Temp. F	114	
	Equipment Number	15	
	Location	Hays	
	Recorded By	B. Becker	
	Witnessed By	Robert Hendrix	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hays, Ks; North to Buckeye Rd;
7 W to 180th; 1-1/2 North;
West Into

Database File: c:\warrior\data\mccoy_mccelland 'a' no. 1-8\mccoyhd.db
Dataset Pathname: DIL\mcstk
Presentation Format: micro
Dataset Creation: Wed May 04 08:29:08 2011
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0




3100

3150

3200

3250

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0




-31

-31

-31

-31




3300


3350

3400

3450

3500







3550

3600

3650


3700





3750

3800



-30

-29

LSPD