



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-015-23,890-00-00

Company **Vess Oil Corporation**
 Well **Wilson "A" No. 442**
 Field **El Dorado**
 County **Butler** State **Kansas**

Location **C S/2**
1,320' FSL & 2,640' FWL
 Sec: **9** Twp: **25 S** Rge: **5 E**

Other Services
 DIL/MEL

Permanent Datum **Ground Level** Elevation **1374**
 Log Measured From **Kelly Bushing** **6** Ft. Above Perm. Datum
 Drilling Measured From **Kelly Bushing**

Elevation
 K.B. 1380
 D.F. 1374
 G.L. 1374

Date	4/1/2011	
Run Number	One	
Type Log	CNL / CDL	
Depth Driller	2474	
Depth Logger	2474	
Bottom Logged Interval	2472	
Top Logged Interval	250	
Type Fluid In Hole	Chemical	
Salinity, PPM CL	1000	
Density	9.5	
Level	Full	
Max. Rec. Temp. F	101	
Operating Rig Time	4 Hours	
Equipment -- Location	10 Hays	
Recorded By	Jim Schuler	
Witnessed By	Roger Martin	

Borehole Record		Casing Record					
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	250	8.625	23#	00	250
Two	7.875	250	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
 (785) 625-3858


East of Potwin, Kansas to 40 Road. East 2 Miles to Tree Grove / White Grain Bin
 North Into, 1st Right Into Location


Database File: vess_wilson_a_442hd.db
 Dataset Pathname: DIL/vesstk
 Presentation Format: cdl
 Dataset Creation: Sat Apr 02 03:40:37 2011
 Charted by: Depth in Feet scaled 1:600


0 Gamma Ray 150
6 Caliper (GAPI) 16


30 Compensated Density -10
2 Bulk Density 3
15000 Line Tension 0
2.625 DGA 3.425 -0.25 Correction 0.25
LSPD

















Database File: vess_wilson_a_442hd.db
 Dataset Pathname: DIL/vesstk
 Presentation Format: cndlspec
 Dataset Creation: Sat Apr 02 03:40:37 2011
 Charted by: Depth in Feet scaled 1:240





























0	Gamma Ray	150
6	Caliper (GAPI)	16

30	CNLS			-10	
30	Compensated Density (2.71 ma)			-10	
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension			0	