



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	15-015-23,890-00-00	
Company	Vess Oil Corporation	
Well	Wilson "A" No. 442	
Field	El Dorado	
County	Butler	State Kansas
Location	C S/2 1,320' FSL & 2,640' FWL	
Sec: 9	Twp: 25 S	Rge: 5 E
Permanent Datum	Ground Level	Elevation 1374
Log Measured From	Kelly Bushing	6 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	K.B. 1380
		D.F. 1374
		G.L. 1374
		Other Services CNL/CDL MEL

Date	4/1/2011
Run Number	One
Depth Driller	2474
Depth Logger	2474
Bottom Logged Interval	2473
Top Log Interval	0
Casing Driller	8.625 @ 250
Casing Logger	260
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	1000
Density / Viscosity	9.5 53
pH / Fluid Loss	9.0 9.4
Source of Sample	Flowline
Rm @ Meas. Temp	1.70 @ 61
Rmf @ Meas. Temp	1.28 @ 61
Rmc @ Meas. Temp	2.30 @ 61
Source of Rmf / Rmc	Charts
Rm @ BHT	1.03 @ 101
Operating Rig Time	4 Hours
Max Rec. Temp. F	101
Equipment Number	10
Location	Hays
Recorded By	Jim Schuler
Witnessed By	Roger Martin

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

East of Potwin, Kansas to 40 Road. East 2 Miles to Tree Grove / White Grain Bin
North Into, 1st Right Into Location

Database File: vess_wilson_a_442hd.db
 Dataset Pathname: DIL/vesstk
 Presentation Format: dil2in
 Dataset Creation: Sat Apr 02 03:40:37 2011
 Charted by: Depth in Feet scaled 1:600

0 Gamma Ray 150
-200 SP 0

0 Shallow Resistivity 50
0 Deep Resistivity 50



LSPD




1000 Conductivity 0


15000 Line Tension 0




50 Shallow Resistivity 500


50 Deep Resistivity 500











Database File: vess_wilson_a_442hd.db
 Dataset Pathname: DIL/vesstk
 Presentation Format: dil
 Dataset Creation: Sat Apr 02 03:40:37 2011
 Charted by: Depth in Feet scaled 1:240






-200 SP 0

0.2 Shallow Resistivity 2000

10000 Line Tension 0

LSPD






200

250

300

350

400




-65

-41

-56

-55

-55




450

500

550

600




-55

-55

-55

-55




650

700

750

800

850




-63

-61

-61

-61

-61




900

950

1000

1050




-61

-61

-61

-61




1100

1150

1200

1250




-61

-61

-61

-61




1300

1350

1400

1450

1500




-60

-53

-48

-50

-51




1550

1600

1650

1700




-51

-50

-50

-50




1750

1800

1850

1900




-50

-50

-48

-48




1950

2000

2050

2100

2150




-48

-48

-48

-48

-48




2200

2250

3000

3350




-48

-48

-48


-48



2400

2450

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



-47

-47

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD