

Borehole Compensated Sonic Log

(785) 625-3858

15-109-20,989-00-00

Murfin Drilling Co., Inc.

Well Kuhlman "E" No. 2-35

Field Wildcat

County Logan State Kansas

4
 1
 5
 6
 6

Other Services
CNL/CDL
MEL/DIL

Sec: 35 Twp: 12 S Rge: 32 W

um	Ground Level	Elevation 3002
From	Kelly Brising	11 E+ Above Barn Datum

Kelly Bushing	3002
---------------	------

	3/29/2011
	Two

	BHC Sonic
--	-----------

4/40	
4738	

Interval	4727
----------	------

Interval	200
Mode	Chemical

MCL	3,000
	00

Full	
------	--

np. F	125
E 1/2 H	

Location	4	Has
----------	---	-----

K. Bange	Msc Hans
----------	----------

Borehole Record

From	To
00	226

226	4740
-----	------

[illegible]

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Oakley, 11 S to Gove rd, 1/4 E, N into



Database File: c:\warrior\data\murf_kuhlman e no. 2-35\mrfn032911hd.db
Dataset Pathname: dil2/murf2in
Presentation Format: sonic
Dataset Creation: Tue Mar 29 21:16:39 2011
Charted by: Depth in Feet scaled 1:240



Charted by:			Depth in Feet scaled 1:2.15					
0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40		
150	Gamma Ray	300		5	0	30	SPOR	-10
6	Caliper (GAPI)	16				15000	LTEN (lb)	0
							LSPD	











































































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16



Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10
	15000	LTEN (lb)	0

LSPD