



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-039-21125-00-00

Company **Murfin Drilling Company, Inc.**
 Well **Moore 'A' No 1-21**
 Field **Wildcat**
 County **Decatur** State **Kansas**

Location **1160' FSL & 1620' FEL**

Sec: **21** Twp: **1 S** Rge: **29 W**

Other Services
DIL
MEI/BHCS

Permanent Datum **Ground Level** Elevation **2727**
 Log Measured From **Kelly Bushing** 5 Ft. Above Perm. Datum
 Drilling Measured From **Kelly Bushing**

K.B. 2732
D.F. 2727
G.L. 2727

Date **2/28/2011**

Run Number **One**

Type Log **CNL / CDL**

Depth Driller **3965**

Depth Logger **3966**

Bottom Logged Interval **3945**

Top Logged Interval **3000**

Type Fluid In Hole **Chemical**

Salinity, PPM CL **2,000**

Density **9.2**

Level **Full**

Max. Rec. Temp. F **116**

Operating Rig Time **5 Hours**

Equipment -- Location **15 Hays**

Recorded By **B. Becker**

Witnessed By **Paul Gunzelman**

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	263	8.625	24#	00	263
2	7.875	263	3965				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
 (785) 625-3858


Oberlin, Ks; 10-1/2 North to Cedar Bluffs;
 West to stop sign; 1/4 South; 1 West;
 2-1/2 South; West and North Into

Database File: c:\warrior\data\murfin_moore 'a' no 1-21\murfinhd.db
 Dataset Pathname: DIL\murfdil
 Presentation Format: cdl
 Dataset Creation: Tue Mar 01 01:30:47 2011
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density	-10
2	Bulk Density	3
15000	Line Tension	0
-0.25	Correction	0.25
LSPD		





0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density	-10
2	Bulk Density	3
15000	Line Tension	0
-0.25	Correction	0.25

Database File: c:\warrior\data\murfin_moore 'a' no 1-21\murfinhd.db
Dataset Pathname: DIL/murfdil
Presentation Format: cndlspec
Dataset Creation: Tue Mar 01 01:30:47 2011
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10	
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)	-10	
			15000	Line Tension	0	
				-0.25	Correction	0.25
						LSPD

