



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

**MICRO
LOG**

Company	ANDERSON ENERGY, INC.		
Well	SCHAUL "A" #1		
Field	WILDCAT		
County	PRATT	State	KANSAS
Location:	API # : 15-151-22406-0000		Other Services CDL/CNL/PE DIL/SONIC
SEC 31 TWP 29S RGE 15W		Elevation	
2070' FNL & 2697' FEL		K.B. 2029	
Permanent Datum		GROUND LEVEL	
Log Measured From		KELLY BUSHING 9' A.G.L.	
Drilling Measured From		KELLY BUSHING	
Date	1/13/13		
Run Number	TWO		
Depth Driller	5220		
Depth Logger	5220		
Bottom Logged Interval	5198		
Top Log Interval	2200		
Casing Driller	8 5/8"@281'		
Casing Logger	281		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 9,000 PPM	
Density / Viscosity	9.4/47		
pH / Fluid Loss	10.0/10.4		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.600@79F		
Rmf @ Meas. Temp	.450@79F		
Rmc @ Meas. Temp	.720@79F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.373@127F		
Time Circulation Stopped	5.5 HOURS		
Time Logger on Bottom	4:45 A.M.		
Maximum Recorded Temperature	127F		
Equipment Number	4854		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KEN LeBLANC	THOMAS ANDERSON	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
DIRECTIONS
CROFT, KS. 2S., 1/2 W. INTO

Database File:

010045pe.db

Dataset Pathname:

pass6.5

Presentation Format:

micro


Dataset Creation:



Sun Jan 13 13:39:17 2013



Charted by:


Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			
			0 (ft3)	10		











2850



2900


2950

3000












3500


3550

3600

3650










3950


4000

4050

4100









4400

4450

4500

4550








4600


4650

4700

4750







5050


5100

5.5" ABHV

5150

5200

LTD 5220



6	CALIPER (in)	16	10 (ft3)	0	0	MEL1.5 (Ohm-m)	20
0	MINMK	20	TBHV				
			0 (ft3)	10			





NABORS
 COMPLETION
 & PRODUCTION
 SERVICES CO.

REPEAT SECTION

Database File:	010045pe.db
Dataset Pathname:	pass5.3
Presentation Format:	micro
Dataset Creation:	Sun Jan 13 10:06:46 2013
Charted by:	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report			
Database File:	010045pe.db		
Dataset Pathname:	pass6.5		
Dataset Creation:	Sun Jan 13 13:39:17 2013		
MICRO Calibration Report			
Serial Number:	MICRO4		
Tool Model:	PROBE		
Performed:	Sat Apr 15 18:21:49 2006		
Caliper Calibration:	Gain=1.983	Offset=-3.842	
	Low Cal	High Cal	
References	8.800	13.000	
Readings	6.375	8.493	
1.5" Calibration:	Gain=26.000	Offset=-1.000	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.013	1.517	
2" Calibration:	Gain=30.000	Offset=-1.300	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	-0.001	1.622	
Gamma Ray Calibration Report			
Serial Number:	GR4		

Tool Model:	OPEN
Performed:	Sun Jan 13 08:07:21 2013

Calibrator Value:	200.0	GAPI
-------------------	-------	------

Background Reading:	0.0	cps
Calibrator Reading:	189.0	cps

Sensitivity:	2.0000	GAPI/cps
--------------	--------	----------