



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No.		Company Larson Engineering, Inc.					
		Well Walker No. 2-21					
		Field Wildcat					
		County Lane		State Kansas			
15-101-22291-00-00		Location NE - NW - SE - NW 1477' FNL & 1766' FWL				Other Services DIL MEL	
Permanent Datum		Sec: 21		Twp: 18 S		Rge: 29 W	
Log Measured From		Ground Level		Kelly Bushing		Elevation 2812	
Drilling Measured From		Kelly Bushing		7 Ft. Above Perm. Datum		K.B. 2819 D.F. G.L. 2812	
Date		5/13/2011					
Run Number		One					
Type Log		CNL / CDL					
Depth Driller		4620					
Depth Logger		4629					
Bottom Logged Interval		4608					
Top Logged Interval		3600					
Type Fluid In Hole		Chemical					
Salinity, PPM CL		2200					
Density		9.1					
Level		Full					
Max. Rec. Temp. F		122					
Operating Rig Time		4 Hours					
Equipment -- Location		15 Hays					
Recorded By		B. Becker					
Witnessed By		Bob Lewellyn					
Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	246	8.625	24#	00	246
2	7.875	246	4620				

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Dighton, Ks; 3-1/4 W;
South Into at tanks

Charted by: Depth in Feet scaled 1:500					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425
			-0.25	Correction	0.25
			LSPD		





0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425
				-0.25	Correction
					0.25
					LSPD

Database File: c:\warrior\data\larson_walker no. 2-21\larsonhd2.db Dataset Pathname: DIL\larstk Presentation Format: cndlspec Dataset Creation: Fri May 13 14:11:41 2011 Charted by: Depth in Feet scaled 1:240					
0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)	-10
			2.625	DGA	3.425
				-0.25	Correction
					0.25
			15000	Line Tension	0
					LSPD

