



# Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	15-097-21,692-00-00	
Company	L.D. Drilling, Inc.	
Well	Anthony "B" No.3-27	
Field	Greensburg	
County	Kiowa	State Kansas
Location	N2 SW SW SW 585' FSL & 330' FWL	
Sec: 27	Twp: 27S	Rge: 18W
Other Services	CNL/CDL	

Permanent Datum	Ground Level	Elevation 2201
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	4/28/2011	
Run Number	One	
Depth Driller	4932	
Depth Logger	4933	
Bottom Logged Interval	4932	
Top Log Interval	450	
Casing Driller	8.625 @ 484	
Casing Logger	488	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	7.000	
Density / Viscosity	9.3	50
pH / Fluid Loss	10.0	11.8
Source of Sample	Flowline	
Rm @ Meas. Temp	.4 @ 58	
Rmf @ Meas. Temp	.3 @ 58	
Rmc @ Meas. Temp	.54 @ 58	
Source of Rmf / Rmc	Charts	
Rm @ BHT	.18 @ 127	
Operating Rig Time	2 1/2 Hours	
Max Rec. Temp. F	127	
Equipment Number	17	
Location	Hays	
Recorded By	C. Desai	
Witnessed By	Kim Shoemaker	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.  
 (785) 625-3858  
 Greensburg, 2 1/2 N from stoplight, E Into


Database File: ldhd.db  
 Dataset Pathname: dil/ldstk  
 Presentation Format: dil2in  
 Dataset Creation: Thu Apr 28 08:58:14 2011  
 Charted by: Depth in Feet scaled 1:600



0 Gamma Ray 150  
-200 SP 0



0 Shallow Resistivity 50  
0 Deep Resistivity 50  
1000 Conductivity 0  
15000 Line Tension 0  
50 Shallow Resistivity 500  
50 Deep Resistivity 500


LSPD




























Database File:      ldhd.db  
 Dataset Pathname:      dil/ldstk  
 Presentation Format:      dil  
 Dataset Creation:      Thu Apr 28 08:58:14 2011  
 Charted by:      Depth in Feet scaled 1:240






3850

3900

3950

4000

4050




-31

-31

-31

-31

-31




4100

4150

4200

4250




-30

-30

-30

-30




4300

4350

4400

4450

4500




-30

-30

-30

-30

-30




4500

4550

4600

4650

4700




-30

-30

-30

-30

-31




4750

4800

4850

4900



-31

-29

-32

-32

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD