



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	15-135-25,234-00-00	
Company	Trans Pacific Oil Corporation	
Well	Debes R No. 3	
Field	Nirvana	
County	Ness	State Kansas
Location	330' FSL & 1650' FEL	
Sec: 14	Twp: 18 S	Rge: 24 W
Permanent Datum	Ground Level	Elevation 2291
Log Measured From	Kelly Bushing	8 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	K.B. 2296
		D.F. 2288
		G.L. 2288

Date	5/1/2011
Run Number	One
Depth Driller	4301
Depth Logger	4304
Bottom Logged Interval	4303
Top Log Interval	200
Casing Driller	8.625 @ 222
Casing Logger	218
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	4.800
Density / Viscosity	9.4 47
pH / Fluid Loss	10.0 8.8
Source of Sample	Flowline
Rm @ Meas. Temp	.50 @ 55
Rmf @ Meas. Temp	.38 @ 55
Rmc @ Meas. Temp	.68 @ 55
Source of Rmf / Rmc	Charts
Rm @ BHT	.23 @ 121
Operating Rig Time	3 1/2 Hours
Max Rec. Temp. F	121
Equipment Number	04
Location	Hays
Recorded By	K. Bange
Witnessed By	Max Lovely

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858




 Ness Clty (W edge of town "R" rd), 1 N, 2 W
 1 N, 1/2 E, N into


Database File: trnspac050111hd.db
 Dataset Pathname: dil/@00000e60
 Presentation Format: dil2in
 Dataset Creation: Mon May 02 04:57:08 2011
 Charted by: Depth in Feet scaled 1:600

0 Gamma Ray 150
-200 SP 0

0 Shallow Resistivity 50
0 Deep Resistivity 50
1000 Conductivity 0
15000 Line Tension 0
50 Shallow Resistivity 500
50 Deep Resistivity 500

LSPD





700

750

800

850

900

950


1000

1050

1100

1150

1200



89

89

90

92

92

93



93



93



93




94


91


















Database File: trnspace050111hd.db
 Dataset Pathname: dil/@00000e60
 Presentation Format: dil
 Dataset Creation: Mon May 02 04:57:08 2011
 Charted by: Depth in Feet scaled 1:240





Database File: trnspac050111hd.db
 Dataset Pathname: dil/@00000e60
 Presentation Format: dil
 Dataset Creation: Mon May 02 04:57:08 2011
 Charted by: Depth in Feet scaled 1:240






3450

3500

3550

3600




-29

-29

-29

-28




3650

3700

3750

3800

3850




-28

-29

-28

-28

-28




3900

3950

4000

4050




-27

-27

-27

-27




4100

4150

4200

4250




-27

-27


-27

-28



4300

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



-27

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD