



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.		Company Pickrell Drilling Company, Inc.	
15-095-22,223-00-00		Well Depenbusch "F" No. 1	
Field Spivey-Grabs-Basil		County Kingman State Kansas	
Location 990' FSL & 1980' FWL		Other Services None	
Sec: 14 Twp: 30 S Rge: 9 W		Elevation	
Permanent Datum Ground Level		K.B. 1632	
Log Measured From Kelly Bushing		D.F. 1630	
Drilling Measured From Kelly Bushing		G.L. 1622	
Date	7/13/2011		
Run Number	One		
Depth Driller	4400		
Depth Logger	4399		
Bottom Logged Interval	4398		
Top Log Interval	200		
Casing Driller	8.625 @ 228		
Casing Logger	228		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	4000		
Density / Viscosity	9.2 48		
pH / Fluid Loss	9.0 10		
Source of Sample	Flowline		
Rm @ Meas. Temp	.41 @ 93		
Rmf @ Meas. Temp	.31 @ 93		
Rmc @ Meas. Temp	.55 @ 93		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.32 @ 120		
Operating Rig Time	2 1/2 Hours		
Max Rec. Temp. F	120		
Equipment Number	10		
Location	Hays		
Recorded By	D. Kerr		
Witnessed By	Jerry A. Smith		


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Zenda KS, 1 South
1/4 West, North Into





750

800

850

900

950

1000


1050

1100

1150

1200

1250



-94

-94

-94

-91

-91

-91


-91

-91

-91

-91

-91



1300

1350

1400

1450

1500

1550


1600

1650

1700

1750

1800



-91

-91

-91

-90

-88

-88


-88

-88

-88

-88

-88



1850

1900

1950

2000

2050

2100


2150

2200

2250

2300

2350



-88

-88

-87

-89

-85

-85


-85

-85

-85

-85

-85



2400

2450

2500

2550

2600

2650


2700

2750

2800

2850

2900



-84

-85

-86

-83

-83

-83


-83

-83

-83

-83

-82



2950

3000

3050

3100

3150

3200


3250

3300

3350

3400

3450



-82

-74

-34

-32

-33

-31


-34

-34

-34

-32

-34



3500

3550

3600

3650

3700

3750


3800

3850

3900

3950

4000



-33

-34

-32

-32

-32

-32


-32

-31

-32

-32

-31





Database File: c:\warrior\data\pickrell_depenbusch f no. 1\pickrell_depenbusch_f_1hd.db
 Dataset Pathname: rag/pikrag
 Presentation Format: rag
 Dataset Creation: Wed Jul 13 12:51:44 2011
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Caliper (GAPI)	16
-200	SP (mV)	0


0.2	Long Guard	2000
560	Neuton	2160
15000	Line Tension	0


LSPD















0	Caliper (GAP1)	10
-200	SP (mV)	0

500	Newton	2100
15000	Line Tension	0
		LSPD