



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-101-22294-00-00

Company Flatirons Resources, LLC
 Well Conner No. 14-27
 Field Wildcat
 County Lane State Kansas

Location NE-SE-SW-SW
 430' FSL & 1160' FWL

Other Services
 DIL
 MEL/BHCS

Permament Datum Ground Level Elevation 2875
 Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
 Drilling Measured From Kelly Bushing

Sec: 27 Twp: 18 S Rge: 30 W
 K.B. 2882
 D.F. 2875
 G.L. 2875

Date 6/14/2011

Run Number One

Type Log CNL / CDL

Depth Driller 4620

Depth Logger 4622

Bottom Logged Interval 4601

Top Logged Interval 3600

Type Fluid In Hole Chemical

Salinity, PPM CL 1900

Density 9.2

Level Full

Max. Rec. Temp. F 122

Operating Rig Time 5 Hours

Equipment -- Location 15 Hays

Recorded By B. Becker

Witnessed By Tim Priest

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	221	8.625	24#	00	221
2	7.875	221	4620				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
 (785) 625-3858

Dighton, Ks; 8 West to Dodge Rd;
 2 South; 1 West; North Into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			





0	Gamma Ray	150	30	Compensated Density			-10	
6	Caliper (GAPI)	16	2	Bulk Density			3	
			15000	Line Tension			0	
			2.625	DGA	3.425	-0.25	Correction	0.25
LSPD								

Database File: c:\warrior\data\flatirons_conner no. 14-27\flatironshd.db
 Dataset Pathname: DIL/fistk
 Presentation Format: cndlspec
 Dataset Creation: Tue Jun 14 11:25:05 2011
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone)			-10	
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)			-10	
			2.625	DGA	3.425	-0.25	Correction	0.25
			15000	Line Tension			0	
LSPD								

