



Computer Processed Interpretation

DIGITAL LOG (785) 625-3858

15-101-22294-00-00

API No.

Company Flatirons Resources, LLC

Well Conner No. 14-27

Field Wildcat

County Lane State Kansas

Location NE-SE-SW-SW

430' FSL & 1160' FWL

Sec: 27 Twp: 18 S Rge: 30 W

Other Services DIL/CNL/CDL BHC/S/MEL

Elevation

K.B. 2882

D.F. 2875

Permanent Datum Ground Level Elevation 2875
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date Recorded 6/14/2011

Depth Logger 4622

Curve Definitions

SW Water Saturation

SXO Water Saturation In The Flushed Zone

VCL Volume Of Clay

PHIE Density - Neutron Crossplot Shale Corrected

BWV Bulk Volume Water

BWMSXO Bulk Volume Water In Flushed Zone

DCAL Caliper

SPC SP Corrected For Baseline

DGA Apparent Grain Density

Payflag If: PHIE > 2 %, VCL < 40 %, SPC > -10 , SW < 50 % & DCAL < 11

Recorded By B. Becker

Witnessed By Tim Priest

Analysis By Dale Legleiter

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
www.logtechinc.com

Dighton, Ks; 8 West to Dodge Rd;
2 South; 1 West; North Into

Database File: c:\warrior\data\cross plots\3wxplt.db
Dataset Pathname: bricks
Presentation Format: 3wxplt



Database File: c:\warrior\data\flatirons_conner no. 14-27\flatironshd.db
 Dataset Pathname: cpi/flatcpi
 Presentation Format: aalitho
 Dataset Creation: Tue Jun 14 18:54:16 2011
 Charted by: Depth in Feet scaled 1:240

DGA	0	Gamma Ray	150	1	SW	0	0.3	PHIE	0	0	VCL	1	
2.6	3.1	6	DCAL (GAPI)	16	30	PAYFLAG	0	0.3	BVW	0	0	VSAND	1
		-150	SPC (mV)	0	1	SXO	0	0	PERM	30	0	VLIME	1
							0.3	BVWSXO	0	0	0	VDOLO	1

