

Borehole Compensated Sonic Log

(785) 625-3858

Company **Cholla Production, LLC.**

Well Schroeder No. 1-16

Field Wildcat

County Trego State Kansas

NW SE NE NE
10' FEL & 975' FNL

Sec: 16 Twp: 11 S Rge: 23 W

Elevation

Ground Level	Elevation 2280
Kelly Bushing	5 Ft. Above Perm. Datum

K.B.	2285
D.F.	2280

5

	BHC Sonic
--	-----------

4074	
------	--

Interval	250
----------	-----

CL	2,500
----	-------

Full	
450	
7	

Time	3 Hours
1	11

K. Dange	
Pill Co#	

Bill Goll

[illegible]

From

size | vgt

From

2	7.875	
---	-------	--

263

11

4075

--	--

--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Wakeeney, 6 N, W into



Database File: c:\warrior\data\cholla_schroeder no. 1-16\cholla051011hd.db
Dataset Pathname: dil/cholla2in
Presentation Format: sonic
Dataset Creation: Tue May 10 21:03:09 2011
Charted by: Depth in Feet scaled 1:240



Charted by:		Depth in Feet scaled 1:2.15					
0	Gamma Ray	150	5	0	140	Delta Time (usec/ft)	40
150	Gamma Ray	300			30	SPOR	-10
6	Caliper (GAPI)	16			15000	LTEN (lb)	0
							LSPD































































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16



Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10
	15000	LTEN (lb)	0

LSPD