



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company Cholla Production, LLC.	
15-195-22,709-00-00		Well Schroeder No. 1-16	
Field Wildcat		County Trego State Kansas	
Location NW SE NE NE 640' FEL & 975' FNL		Other Services CNL/CDL MEL/BHCS	
Sec: 16 Twp: 11 S Rge: 23 W		Elevation	
Permanent Datum Ground Level		K.B. 2285	
Log Measured From Kelly Bushing		D.F. 2280	
Drilling Measured From Kelly Bushing		G.L. 2280	
Date	5/10/2011		
Run Number	One		
Depth Driller	4075		
Depth Logger	4074		
Bottom Logged Interval	4073		
Top Log Interval	250		
Casing Driller	8.625 @ 263		
Casing Logger	260		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	2,500		
Density / Viscosity	9.3 58		
pH / Fluid Loss	10.5 7.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	.90 @ 70		
Rmf @ Meas. Temp	.68 @ 70		
Rmc @ Meas. Temp	1.22 @ 70		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.53 @ 119		
Operating Rig Time	5 Hours		
Max Rec. Temp. F	119		
Equipment Number	4		
Location	Hays		
Recorded By	K. Bange		
Witnessed By	Bill Goff		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Wakeeney, 6 N, W into

Database File: c:\warrior\data\cholla_schroeder no. 1-16\cholla051011hd.db
Dataset Pathname: dil\cholla2in
Presentation Format: dil2in
Dataset Creation: Tue May 10 21:03:09 2011
Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP (mV)	0


0	Shallow Resistivity	50
0	Deep Resistivity	50

LSPD



1000	Conductivity	0
15000	Line Tension	0

50	Shallow Resistivity	500
50	Deep Resistivity	500












750
800
850
900
950
1000
1050
1100
1150
1200
1250







-73
-72
-72
-72
-72
-62
-62
-62
-62
-61
-59

















-160	Rxo / Rt	40


0.2	Shallow Resistivity	2000
15000	Line Tension	0
		LSPD

Database File:	c:\warrior\data\cholla_schroeder no. 1-16\cholla051011hd.db
Dataset Pathname:	dil/cholla2in
Presentation Format:	dil
Dataset Creation:	Tue May 10 21:03:09 2011
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0
		LSPD






3250

3300

3350

3400

3450




-26

-25

-25

-26

-26




3500

3550

3600

3650




-25

-24

-25

-25




3700

3750

3800

3850

3900




-25

-24

-24

-24


-24



3950

4000

4050



-23

-24

-24

LSPD