

LOG-TECH



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-069-20,341-00-00	Company Falcon Exploration, Inc. Well John Koehn No. 1-18 (SE) Field Wildcat County Gray State Kansas	
Location S2 SW NW SE 1,560' FSL & 2,310' FEL	Sec: 18 Twp: 28 S Rge: 29 W	Other Services CNL/CDL DIL/BHCS

Permanent Datum	Ground Level	Elevation 2799	
Log Measured From	Kelly Bushing	13 Ft. Above Perm. Datum	K.B. 2812
Drilling Measured From	Kelly Bushing		D.F. 2799
Date	4/16/2011		
Run Number	Two		
Depth Driller	5655		
Depth Logger	5658		
Bottom Logged Interval	5657		
Top Log Interval	2600		
Casing Driller	8.625 @ 1871		
Casing Logger	1872		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	2100		
Density / Viscosity	9.1 55		
pH / Fluid Loss	9.5 8.0		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.50 @ 62		
Rmf @ Meas. Temp	1.13 @ 62		
Rmc @ Meas. Temp	2.03 @ 62		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.70 @ 133		
Operating Rig Time	6 Hours		
Max Rec. Temp. F	133		
Equipment Number	10		
Location	Hays		
Recorded By	Jim Schuler		
Witnessed By	Dave Williams		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Montezuma, Kansas, Ingalls Black Top North 1/2 Mile to BB Road,
4 West to 8 Road, North 1/2, West Into Around the Farm Equipment
to the South and East



Database File: falcon_exp_johnkoehn_1_18_sehd.db
 Dataset Pathname: DIL/falstk
 Presentation Format: micro
 Dataset Creation: Sat Apr 16 05:43:25 2011
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0








3050

3100

3150

3200




-34

-34

-34

-34




3250

3300

3350

3400




-34

-34

-33

-35




3450

3500

3550

3600

3650




-30

-31

-30

-31

-31




3700

3750

3800

3850




-31

-31

-32

-32




3900

3950

4000

4050




-32

-31

-31

-31




4100

4150

4200

4250

4300




-31

-31

-31

-31

-32





4350

4400

4450

4500






4550

4600

4650

4700






-30

-30

-30

-30







5000

5050

5100

5150






5200


5250

5300

5350

5400






5400

5450

5500

5550

5600




-28

-28

-28


-28

-28



5650

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0



-28

0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD