



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	Company Cholla Production, LLC			
	Well Kyte-Jording No. 3-14			
	Field Jording			
	County	Decatur	State	Kansas
	Location	SW NW SE NE 1,800' FNL & 1,000' FEL		
	Sec: 14	Twp: 2S	Rge: 30W	Other Services CNL/CDL DIL/BHCS
Permanent Datum	Ground Level		Elevation 2799	Elevation
Log Measured From	Kelly Bushing		5 Ft. Above Perm. Datum	K.B. 2804
Drilling Measured From	Kelly Bushing			D.F. 2799
Date	3/26/2011			
Run Number	Two			
Depth Driller	4030			
Depth Logger	4029			
Bottom Logged Interval	4028			
Top Log Interval	3000			
Casing Driller	8.625 @ 257			
Casing Logger	258			
Bit Size	7.875			
Type Fluid in Hole	Chemical			
Salinity, ppm CL	600			
Density / Viscosity	9.4 50			
pH / Fluid Loss	9.5 8.0			
Source of Sample	Flowline			
Rm @ Meas. Temp	.70 @ 60			
Rmf @ Meas. Temp	.53 @ 60			
Rmc @ Meas. Temp	.95 @ 60			
Source of Rmf / Rmc	Charts			
Rm @ BHT	.36 @ 116			
Operating Rig Time	4 Hours			
Max Rec. Temp. F	116			
Equipment Number	10			
Location	Hays			
Recorded By	J. Long			
Witnessed By	Bill Goff			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Oberlin, 5 West, 3 North, 1 1/2 West, 1/2 North, East Into



Database File: c:\warrior\data\cholla_kyte-jording no. 3-14\cholla_kytejording_3-14hd.db
Dataset Pathname: dil/chstck
Presentation Format: micro
Dataset Creation: Sat Mar 26 15:02:55 2011
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0








3450

3500

3550

3600




-33

-33

-33

-33




3650

3700

3750

3800

3850





-33

-33

-32

-29

-29



LSPD